

FILE NOTATIONS

Entered in NID File ☒

Entered On S.R. Sheet ☐

Location Map Pinned ☐

Card Indexed ☒

IWR for State or Fee Land ☐

Checked by Chief RPS

Copy NID to Field Office ☐

Approval Letter In Unit 11-4-60

Disapproval Letter ☐

COMPLETION DATA:

Date Well Completed 2-13-61

Location Inspected ☐

OW ☒ WW ☐ TA ☐

Bond released ☐

GW ☐ OS ☐ PA ☐

State of Fee Land ☐


LOGS FILED

Driller's Log 4-10-61

Electric Logs (No. 1) R

E ☐ I ☐ E-I ☒ GR ☐ GR-N ☐ Micro ☒

Lat ☐ Mi-L ☐ Sonic ☐ Others ☐



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-061
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah November 2, 1960

Well No. (143) 33-14B is located Approx. 1980 ft. from XNM line and Approx. 1980 ft. from [E] line of sec. 14B
NW 1/4 SE 1/4 14 7S 23E 11RN
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Uintah Utah
 (Field) (County or Subdivision) (State or Territory)

The elevation of the Kelly Lushing Approx. 9600 ft. Approximate locations
Flat to follow.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a test well for oil or gas to be completed in the lower Green River Formation.
 10-3/4" casing to be cemented @ approximately 225'.
 7" casing to be cemented below lowest productive interval with sufficient cement to reach 4000'.

Top Green River = 2980'
 "H" Point = 4732'
 "K" Point = 5430'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Standard Oil Company of California, Western Operations, Inc.
 Address P. O. Box 455
Vernal, Utah


By C. V. CHAPLTON
 Title District Superintendent

USGS, SLC-3; O&G-1; Gulf-1;
 Conkins-1; J&P-G-1; File-1

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-081
Unit Red Wash



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL <u>REVISED</u>	<u>X</u>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah January 10, 19 61

Well No. (143) 33-14B is located 1835 ft. from SW line and 2050 ft. from E line of sec. 14B

N 1/4 SE 1/4 14 73 23N SLBN
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah (Final)
(Field) (County or Subdivision) (State or Territory)

Kelly Bushing
The elevation of the surface above sea level is 5706.2 ft. (Final)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill a well for oil or gas to be completed in the Lower Green River Formation.
10-3/4" casing to be cemented at 260'.
7" casing to be cemented below lowest productive interval with sufficient cement to reach 4000'.

Top Green River - 3009'
"H" Point - 4843'
"K" Point - 5451'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

By C. V. CHATTERTON

Title District Superintendent

USGS, SLC-3; O&GCC-1; Gulf-1;
Caulkins-1; LCS III-1; File-1

COMPLETION REPORT — NEW WELL

STANDARD OIL COMPANY OF CALIFORNIA

O + G C C

FIELD: Red Wash

PROPERTY: Section 14B

WELL NO: 33-14B (143)

Sec. 14 T. 7S R. 23E S. L. B. & M.

LOCATION: 1835' N and 590' E of S 1/4
Corner Sec. 14

LAND OFFICE: Salt Lake City
LEASE NO: U-081

ELEVATION: 5706.2' K.B.

K.B. is 12' above mat.

DATE: March 2, 1961

By: C. V. CHARTERTON 3/29/61
Manager, Producing Department

DRILLED BY: Kerr-McGee Oil Industries, Inc.

DATE COMMENCED DRILLING: January 4, 1961

DATE COMPLETED DRILLING: February 13, 1961

DATE OF INITIAL PRODUCTION: February 20, 1961

PRODUCTION:	Daily average, 1st	30	days	Gravity	26.5	° API	Pumping	X
	Oil	261	Bbls.	T.P.	240	PSI	Flowing	
	Water	162	Bbls.	C.P.	250	PSI	Gas Lift	
	Gas	138	Mcf.	Bean		/64"		

SUMMARY

T.D. 5885'

EFFECTIVE DEPTH: 5871'

CASING: 10-3/4" cmtd @ 271'
7" cmtd @ 5877'

PERFORATIONS: Vertically opposed notches
cut at 5849-5851', 5738-5742',
5714-5716', 5690-5692',
5683-5684', 5189-5192',
5606-5609', 5592-5594'

LOGS RUN:

Fahnenberger IES 5883-270'
Microlog 5890-2000'
McCullough Gamma-
Cellar 5866-4500'
McCullough Gamma
Ray Collar
Tracer Log 5860-4500'

MARKERS: TGR - 2900'
"G" - 4615'
"H" - 4850'
"I" - 5035'
"J" - 5317'
"K" - 5450'
"K_B" - 5538'
"L" - 5697'

DST #1 - 5186-5290'
#2 - 4580-4605'
#3 - 5636-5654'
#4 - 5588-5610'
#5 - 5670-5690'
#6 - 5546-5580'

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

Cemented 18" conductor pipe at 20' w/15 sacks cement.

Kerr-McGee Oil Industries, Inc. moved in and rigged up.

Well spudded at 10:00 A.M., January 4, 1961. Drilled 15" hole 20' to 273'.

Cemented 10-3/4" casing at 271' with 170 sacks Ideal common cement to an ave 15.8-16#/gal slurry mixed with 2% CaCl₂. Had no cement returns to surface. Good circulation throughout 20 min mixing and displ cement. Cement in place at 8:50 P.M. Felt for cement and found top of cement 5' below cellar floor.

Casing detail:

Bottom	1.43'	Davis Lynch guide shoe
Next 6 jts	257.04'	10-3/4", 40.5#, J-55 ST&C new snls csg
Top	12.50'	In on landing jet
Depth landed	270.97'	

January 5, 1961

Drilled 9" hole from 272' to 1226'.

Tested A section of head, 2000 lb.

Pressure tested BOP to 1200 psi. Held OK.

January 6, 1961 to January 16, 1961

Drilled 9" hole from 1226' to 5218'.

January 17, 1961

Drilled 9" hole from 5218' to 5290'.

Ran Schlumberger Induction ES and recorded from 5285' to 270', and Microlog and recorded from 5290' to 2000'. TGR 2990', G point 4615', H point 4850', and I point 5035'.

DST #1, 5186-5290'. Ran Halliburton tester on dry 4-1/2" drill pipe and 428' of 6-1/4" OD drill collars. Set dual ESA 7-3/4" OD packers at 5180' and 5186'. Opened tool at 7:50 P.M. for 3 min initial flow, next 45 min ICIP, next 1 hr flow test, last 45 min FCIP. No gas to surface. Had a light blow of air est 10 M/D steadily declining to less than 1 MCF/D rate at end of 1 hr. Rec 554', top 384' H.P.P. oil, bottom 170' muddy oil grading to gassy muddy water with a scum of oil. Samples 170' and 85' above tool and at tool tested 3.85, 3.85 and 2.70 ohmmeters at 62° F. Ditch sample tested 3.85 @ 62° F.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top	2550	1710	98	144	1563	2550
Bottom	2630	1735	150	174	1587	2630

January 18, 1961

DST #2, 4580-4605'. Ran Halliburton off bottom tester on dry 4-1/2" F.H. drill pipe and 513' of 6-1/4" OD drill collars. Set 7-3/4" OD ESA packers at 4574, 4580 and 4605'. Opened tool 6:20 A.M. for 3 min initial flow, 3/4 hr ICIP, next 1 hr flow test, last 1 hr FCIP. Had a light heading blow of air for 1 hr of test. No gas to surface. Recovered 210' rise in 6-1/4" OD drill collars. All 210' slightly gassy mud with a scum of oil. Samples 170' and 85' above tool, at tool and ditch sample tested 3.85, 3.85, 3.85 and 3.85 ohmmeters at 65° F. respectively.

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top Inside	2347	1550	86	133	530	2347
Middle Outside	2404	1560	100	150	548	2355
Bottom below bot packer	2450	-	1950	-	-	2450

Drilled 9" hole from 5290' to 5391'

January 19, 1961 to January 22, 1961

Drilled 9" hole from 5391' to 5885'

January 23, 1961

Ran Schlumberger Induction ES and Microlog. Recorded from 5883' to 5100'.
Markers "J" 5317', "K" 5450', "K_B" 5538', "L" 5697'. Took 14 Schlumberger
sidewall samples.

Sidewall Samples

Depth	Rec	Description
5851'	3/4"	Lt brn oil stained ss. Fine grained even golden fluor.
5839'	1/2"	Same as 5851' except broken and mud contaminated.
5792'	1/2"	Grey ss. Fine grained, limey, no SCF.
5779'	1/2"	As at 5792'.
5762'	1/2"	As at 5792' except mud contaminated.
5715'	1/4"	Lt brown oil stained ss. Fine grained even gold fluor.
5670'	1/2"	Grey ss with streak mottled oil staining which may be from mud contamination. Stk of gold fluor.
5625'	1/2"	As at 5792'.
5608'	1/2"	As at 5792'.
5595'	1/2"	As at 5792'.
5578'	1/2"	Lt tan streaked oil stained ss. Very fine grained. Golden stkd fluor.
5554'	1/2"	Brown oil stained ss. Fine grained. Dull gold fluor.
5154'	1/2"	Lt tan oil stained ss. Very fine grained. Dull gold fluor.
5144'	1/2"	Brown oil stained ss. Fine grained, even golden fluor.

DST #3 5636-5654'. Ran Halliburton off bottom anchor test tools on 4-1/2" DP
and 513' of 6-1/4" OD DC. Set packers at 5630, 5636 and 5654'. Took 3 min
IF, 30 min ICIP, 1 hr flow test and 45 min FCIP. Gas to surface in 3 min at
93 M/D rate, steadily declining to 36 M/D in 42 min. Remained steady at 36
M/D last 15 min of test. Pulled and rec 1195'. Top 1165' black gassy HPP
oil, bottom 35' oily gassy mud w/considerable sawdust. Res 3.28 ohmmeters
at 75° F, at tool, ditch 4.3 ohmmeters at 65° F.

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

	IH	ISIP	IF	FF	FSIP	FH
Top	3015	1100	112	298	1012	3015
Middle	5028	1125	140	312	1023	3028

DST #4, 5588-5610'. Ran Halliburton DST tools as above, set top packers at 5584, 5588', bottom pkr at 5610'. Took 3 min IF, 45 min ICIP, opened tool to SFC 6:35 P.M., had faint blow steadily inc to fair blow. GTS in 35 min at 10 M/D rate. Had steady 10-12 M/D for 25 min, shut tool in and took 45 min FSIP. Pulled tools and recovered 850' net rise. Top 680' black gassy HPP oil unloading in stages. Bottom 170' oily muddy water grading to sli muddy water, 2.95 ohmmeters at tool. Charts indicate tools functioned properly.

	IH	ISIP	IF	FF	FSIP	FH
Top	2970	2018	205	299	1928	2970
Middle	3016	2070	244	345	1985	3016

January 24, 1961

DST #5, 5670-5690'. Ran Halliburton hydrospring straddle tester on 4-1/2" DP and 513' of 6-1/4" OD DC. Set packers at 5664, 5670 and 5690'. Opened tool at 8:30 A.M. for 3 min initial flow, 45 min ICIP, 1 hr flow test and 45 min FCIP. No gas to surface. Had a weak blow of air steadily increasing from 1.2 M/D to 1.8 M/D rate at end of test. Rec 513' rise in 6-1/4" OD DC. Top 258' oil w/5% mud at top grading to 20% mud at bottom, next 85' slightly gassy mud with 10% oil, bottom 170' gassy thin mud w/scum oil. Samples 255', 170' and 85' above tool, at tool and ditch sample tested 4.5, 4.5, 4.5, 3.3 and 4.3 ohmmeters at 70° F. respectively.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top	3007	1373	58	187	1283	3007
Bottom	3018	1430	108	220	1295	3018

DST #6, 5546-5580'. Set pkrs at 5540-5546 and 5580'. Opened tool at 3:45 P.M. for 3 min initial flow, 45 min ICIP, 1 hr flow and 45 min FCIP. No gas to surface. Had a weak blow of air less than 1 M/D rate throughout test. Rec 725' rise. Top 20' oil, next 90' gassy oily mud, bottom 615' thin gassy oily mud at top (5% oil) grading to slightly gassy muddy water with a scum of oil. Samples 513, 428, 343, 258, 173 and 88" above tool and at tool tested 2.20, 1.70, 1.60, 1.55, 1.55, 1.35 and 1.35 ohmmeters respectively.

Pressures	IH	ICIP	IF	FF	FCIP	FH
Top Inside	2970	1998	95	335	1875	2970
Bottom Outside	2862	2070	140	382	1935	2882

January 25, 1961

Injected 30 gal Hydrazine in mud while circulating last 1/2 hr. Cemented 7" casing at 5877' with 400 sacks Ideal const cement mixed to an average 15.5#/gal slurry. Preceded cement with 5 bbl water. Started mixing at 11:15 A.M. 18 min mixing, 23 min displacing with rig pumps. Had circulation throughout job. Cement in place 11:56 A.M. Landed csg in ac-cemented position with 80,000# on hook. Hook weights 10,000#.

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

Casing detail:

144 jts 5878.19' * 7", 23#, J-55, LT&C new smls CF&I
 - 1.00' above KB
 5877.19'

* Includes Baker guide shoe and Flexiflow fill up collar.

Scratchers fitted on 6' centers as follows: 3 on top jt #1, 3 on bot jt #2, 3 on top jt #3, 10, 11, 3 on bottom jt #6, entire jt #4, 5 on bottom jt #8, 2 on bot jt #9, 2 on top jt #17 and jt #21, jt #18 4 on bot, jt #19 2 on bottom 1 on top, jt #20 2 on bottom, jt #22 1 on bottom. Centralizers on collars jt #3 thru #11, jt #17 thru 21, and jt #23. Centralizers on stop rings 3' above pin of jt #1 and #2.

January 26, 1961

Pressure tested 6" BOPE to 1200 psi, held OK for 20 mins.

Picked up 2-1/2" tubing with bit and bit collar. Tagged top of float at 5834', drld out float and cement to 5866'. Circulated hole long way with salt water, then reverse circ hole clean.

Ran McCullough gamma-collar log from 5866' to 4500'. McCullough pick-up at 5868'. 5800' McC = 5804' Sch.

Landed 2-1/2" tubing at 5841' with notched collar and Dowell abrasijet tool on bottom.

Bottom 147' Dowell tools

Next 5832.31' 185 jts 2-1/2" UE N-80 6.5# used tubing

KB tbg hd 7.35'
 5841.13'

Pumped 1-1/2 bbl in 7" x 2-1/2" annulus. Pumped 1 bbl Rangely crude in 10-3/4" x 7" annulus.

Rig released at 3:30 P.M., January 26, 1961.

February 2, 1961

R&R Well Service moved in and rigged up.

February 3, 4 and 5, 1961

Repairing unit

February 6, 1961

Located bottom at 5871'. Pulled up and cut vertical notches (3) at 5851-5849'.

Spotted 300 gal inhibited mud acid. Formation fed at 2 BPM at 2450 psi and 3 BPM at 3000 psi. Pulled abrasijet tool.

Ran Baker retrievomatic retainer and set at 5594'. Opened by-pass valve. Spotted 35 bbl water treated with W-17, J-101 and J-100. Closed by-pass valve. Pressured annulus to 1500 psi. Pumped in additional 15 bbl J-101, W-17 and J-100. Started sand at 1/4#/gal press 4900 psi. After pumping in 18 bbl, frac blender broke down. Flushed with 60 bbl waste water. Min rate 3 BPM at 4900 psi. Max 5-1/2 BPM at 4900 psi. Instantaneous shut in 1300 psi.

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

February 7, 1961

With packer set at 5594' water fraced slots 5849-5851'. Opened by-pass valve in packer and displaced water in tubing with waste water treated with J-101, J-100 and W-17. Closed by-pass valve and pumped in additional 15 bbl of above treated waste water. Pumped in 50 bbl 1/2#/gal, 40 bbl 1#/gal and 10 bbl 2#/gal. Max treating press at 3 BPM. Minimum treated pressure 4100 at 12 BPM. Used 3800 #20-40 sand. Formation sanding out 5-1/2 bbl before total flush in. Instantaneous SI 900 psi. Bled to 180 psi in 18 min.

Pulled packer, went in hole with vertical notch tool and collar, found sand at 5616', cleaned out to 5770'. Checked collars at 5757, 5719, 5680, 5640, 5600, 5560, 5518, 5478, 5437 1/2 and 5418 1/2. Lowered tool to 5742' and cut vertical notches at 5742-5738'.

Broke down notches at 5742-5738' with 300 gal inhibited mud acid.

Checked collar at 5719' and cut vertical opposed notches at 5716-5714'.

Broke down notches at 5716-5714' with 150 gal inhibited mud acid.

February 8, 1961

Notched 7" casing 5692-5690' and 5683-5684'. Reversed out sand to 5696' and located top of sand fill at 5697'.

Acidized notches 5683-5692' with 200 gal inhibited acid and obtained breakdown.

Reversed out sand to 5719' tubing meas (5724' E. log meas). Would not wash any lower. Pumped down tubing, still unable to wash below 5719' tubing meas. Pulled up 40' and checked collar locator. OK. Tagged solid fill again at 5719'.

Drilled out hard sand from 5719 to 5750'.

February 9, 1961

Reversed in hole 150 bbl wtr w/W-17 and J101. Dowell sand fraced down 7" casing with 525 bbls treated water (W-17 and J-101) mixed with 1#/gal 20-40 sand. Pumped in 300 bbl w/1#/gal and 1^{mo}/radioactive sand/1000# sand. Dropped 50# L.T. moth balls, pumped in 225 bbls treated water w/1#/gal sand and radioactive sand. Avg rate 35 BPM at 2100 psi to 1750 psi. Moth balls on FM, pressure rose to 3000 psi at 5-6 BPM. Started flush, flushed w/219 bbls water at 3000 psi and 6 BPM. Inst. shut down 750 psi.

Ran Dowell collar locator and abrasijet tool on 2-1/2" tubing. Located collars at 5418 1/2, 5437 1/2, 5478, 5518, 5560, 5600 and 5640'. Cut vertical notches 5656-5655' and 5640-5636'. Lowered tool and reversed out sand to 5660'. Lowered tool and checked sand fill at 5662'.

Spotted 300 gallons inhibited acid at 5656', broke down notches at 5656-5636' at 2300 psi. Break back to 2000 psi at 4 BPM down tbg. Displaced down tbg 15 bbls at 10 BPM at 2700 psi, displaced to FM at 14 BPM at 1800 psi. Inst shut down 650 psi.

Circulated, down annulus up tbg, 160 bbls wtr treated with W-17 and 50 bbls water treated with W-17 and J-101.

Pulled Dowell tools out of hole.

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

February 10, 1961

Sand-water fraced down 7" casing notches at 5656-5655' and 5640-5636' with 200 bbls water treated with W-17 and J-101 (anti-emulsion and fluid loss) containing 1#/gal 20-40 sand (8400#) and 8mc (1mc/1000# sand) radioactive tracer. Maximum pressure 2400 psi, broke back to 2300 psi, then 2100 psi when sand on. Flushed with 217 bbls at 2100 to 2000 psi, inst. shut in 800 psi. Hug rate 32.7 BPM.

Ran Dowell collar locator and abrasijet tool on 2-1/2" tbg. Located collars 5418½, 5437½, 5478, 5518, 5560 and 5600'. Cut vertical notches (2 @ 180°) intervals 5609-5606' and 5594-5592'. Lowered tool and reversed out sand from 5615'. Lowered tool and found solid sand at 5615'. Pulled up to 5609' and spotted 300 gal Dowell mud acid on bottom.

Broke down notches 5609-5592' down tbg at 2900 psi and 8 BPM. Broke down notches down csg at 2250 psi and 12 BPM. Reversed down csg with 160 bbls treated with W-17 and 50 bbls w/W-17 and J-101. Pulled tools out of hole.

Dowell sand-water squeezed down 7" casing with 280 bbl treated water (W-17 and J-101) containing 11,800# (1#/gal) 20-40 sand and 11.8mc radioactive sand. FM broke at 25 BPM and 2900 psi, dropped slowly to 2700 psi, when sd on dropped abruptly to 2400 psi, slowly climbed to 2700 psi, then started to screen out. Pumped in flush, final pressure 3000 psi. Inst shut in 1100 psi. Avg rate 28.3 BPM. Note: Dowell sand contained est 5% outsize angular particles and pieces of shell.

Ran in hole with Dowell collar locator and abrasijet tool. Located collars 5071, 5113, 5129½, 5170 and 5211'. Cut vertical notch 5189-5192, two @ 180°. Lowered tool and reversed out sand at 5200'. Lowered tools and found top firm sd at 5500'. Pulled to 5192' and spotted 250 gallons inhibited acid. Broke down notch 5189-5192' at 8 BPM and 2900 psi dn tbg, 12 BPM and 2200 psi dn csg, ins shut in 1050 psi. Circ 140 bbls w/W-17 and 50 bbls w/J-101 in hole.

February 11, 1961

Dowell sand-water fraced down 7" casing with 230 bbls water treated w/W-17 and J-101 (anti-emulsion and fluid loss additive) and 1#/gal sand w/1mc/1000# radioactive tracer. Used 3 Allison's. Pumped in at 3000 psi until J-101 pad hit, dropped to 2900 psi, when sand hit dropped to 2600 psi. Flushed with 200 bbls water at 2600 psi. Average rate 24.8 BPM. Inst shut in 1400 psi.

Ran 6-1/8" bit, bit collar, on 2-1/2" tbg. Pumped down with Dowell truck to firm sd at 5471'. Drld out sand 5471-5700'.

February 12, 1961

Drilled out sand 5700-5865'.

Ran McCullough gamma ray collar tracer log from 5860-4500' which indicated notches 5189-5742' took radioactive sand.

February 13, 1961

Ran tubing in the hole.

Tubing detail:

K.B.D.	12.00'
179 jts 2-1/2" N-80	5643.12'
P.S.N.	0.95'
Sub	10.06'
1-perf. 3" G.A.	23.50'
Total	5689.63'

WELL NO: 33-14B (143)

PROPERTY: Section 14B

RED WASH FIELD

Ran rods in the hole.

Rod detail:

1 Pump No. 135 top 3 cup
 64 x 3/4" x 25' Plain
 68 x 3/4" x 25' w/Huber
 92 x 7/8" x 25' w/Huber
 1-8', 2-6' x 7/8" Plain
 1-22' P.R. 1-1/2"

R&R Well Service released 3:00 P.M. February 13, 1961.

T. R. HULL

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office Salt Lake City

Lease No. U-081

Unit Red Wash

	14		
		X	

T
7
S

R 23 E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	X	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah June 17, 1963

Well No. (33-14B) 143 is located 1835 ft. from [N] line and 2050 ft. from [E] line of sec. 14
[S]
NW 1/4 SE 1/4 14 7S 23E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Uintah Utah
(Field) (County or Subdivision) (State or Territory)

Kelly Dushing
The elevation of the ~~surface~~ above sea level is 5706 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to:

1. Bradenhead frac all existing notches.
2. Abrasijet 3 - 60° slots in the I_c sand at 5142'.
3. Swab test I_c sand until diagnostic results are obtained.
4. Either frac or cement squeeze slots dependent on swab test.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division
Address P. O. Box 455
Vernal, Utah

By R. W. PATTERSON

Title Field Superintendent

USGS, SLC-3; OAGCC, SLC-1; Gulf, Okla. City-1; Gulf, Casper-1; Caulkins-1; Humble-1; RRG-1; File-1

	14		
	X		

T
7
S

R 23 E

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Salt Lake City
Lease No. U-031
Unit Red Wash

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	X
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Vernal, Utah August 15, 1963

(33-14B)
Well No. 143 is located 1835 ft. from N line and 2050 ft. from E line of sec. 14
NW 1/4 SE 1/4 14 7S 23E SLBM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Red Wash Utah Utah
(Field) (County or Subdivision) (State or Territory)

Kelly Bushing
The elevation of the ~~drill~~ drill floor above sea level is 5706 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

The following work was performed:

1. Bradenhead fraced all existing notches.
2. Abrasijetted 3 - 60° slots in the I₀ sand at 5142'.
3. Swab tested and fraced I₀ sand slots at 5142'.
4. Returned well to production.

Production: Before - 101 BOPD, 29 BWP, 210 MCFD.
After - 236 BOPD, 41 BWP, 110 MCFD.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company California Oil Company, Western Division

Address P. O. Box 455

Vernal, Utah

By R. W. PATTERSON

Title Field Superintendent

USGS, SLC-3; O&GCC, SLC-1; Gulf, Okla. City-1; Gulf, Casper-1; Caulkins-1;
Humble-1; EAK-1; File-1

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. R-091
2. NAME OF OPERATOR Chevron Oil Company - Western Division		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P. O. Box 599, Denver, Colorado 80201		7. UNIT AGREEMENT NAME Red Wash
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1885' FEL & 2050' FEL (NW-1/4 SE-1/4)		8. FARM OR LEASE NAME Red Wash Unit
14. PERMIT NO.		9. WELL NO. 1143 (13-14H)
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 5706'		10. FIELD AND POOL, OR WILDCAT Red Wash Field
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 14, T7S, R23E, SLBM
		12. COUNTY OR PARISH Uintah
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <u>Expose Additional Sands</u> <input checked="" type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

See the attached procedure:

18. I hereby certify that the foregoing is true and correct		J. W. Greer	
Original Signed by		Drilling Superintendent	
SIGNED	<u>J. W. Greer</u>	TITLE	DATE <u>1/24/73</u>
(This space for Federal or State office use)			
APPROVED BY	<u>[Signature]</u>	TITLE	DATE <u>FEB 7 1973</u>
CONDITIONS OF APPROVAL, IF ANY:			

*See Instructions on Reverse Side

P2679

RWU #143 (33-14B)

JAN 30 1973

U.S. GEOLOGICAL SURVEY
SALT LAKE CITY, UTAH

PROCEDURE:

1. MIR. HO annulus w/250 bbls RC. Unseat pump & flush tbg w/50 bbls RC. POOH w/rods and pump. ND wellhead, release anchor, NU BOPE & POOH w/tbg.
2. RIH w/RBP & pkr. Straddle interval 5714-42'. Check blank 5692-5714' for communication. Swab interval 5714-42 to determine fluid content. If predominately water, squeeze perfs 5714-16 & 5738-42'. DO cmt & clean out to PBTD.
3. Perforate the following intervals w/2 jets/ft (hi-performance):
5835-41', 5663-77', 5654-59', 5628-31'.
4. RIH w/RBP & pkr. Straddle following intervals and pump into perfs w/RC to insure they are open:
5849-51', 5606-09', 5189-92', 5142.
5. Straddle and acidize the following intervals individually w/inhibited 15% HCl containing 5 gal/1000 gal scale inhibitor and 2 gal/1000 gal anti-sludge agent-NE: 5835-41', 5654-92', 5628-40'. Use 150 gal acid on bottom interval, 750 gal acid on middle interval and 450 gal acid on top interval. No salt required on bottom interval.
 - a. On middle & top intervals, pump 150 gal acid, drop 100# rock salt & resume pumping.
 - b. Precede acid w/equal volume of fresh water preflush containing 5 gal/1000 gal scale inhibitor.
 - c. Swab spent acid water back immediately.
6. POOH w/RBP & pkr. Run production tbg & land near 5850'±. ND BOPE, set anchor, NU wellhead, run pump and rods and return well to production.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

U-081

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

Chevron Oil Company - Western Division

3. ADDRESS OF OPERATOR

P. O. Box 599, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

1835' FSL & 2950' FEL (NW-1/4 SE-1/4)

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

DB 5706'

7. UNIT AGREEMENT NAME

Red Wash

8. FARM OR LEASE NAME

Red Wash Unit

9. WELL NO.

#143 (33-14B)

10. FIELD AND POOL, OR WILDCAT

Red Wash Field

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA
Sec. 14, T7S, R23E,
SLBM

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐
☐

REPAIRING WELL

☐
☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

Expose Additional Sands

☒(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

~~XXXXXXXXXXXXXXXXXXXX~~
See the attached procedure:

After pumping into several intervals it was determined that proper segregation could not be obtained by squeeze cementing. Therefore, the workover operation was suspended.

Production after workover: 53 BOPD, 271 BWPD, 100 MCFD

18. I hereby certify that the foregoing is true and correct

Original Signed by

J. W. Greer

SIGNED

J. W. GREER

TITLE

Drilling Superintendent

DATE

3/20/73

(This space for Federal or State office use)

APPROVED BY

E. W. Snyman

TITLE

ACTING DISTRICT ENGINEER

DATE

MAR 27 1973

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well gas ☐ well other ☐
2. NAME OF OPERATOR
Chevron U.S.A. Inc.
3. ADDRESS OF OPERATOR
P. O. Box 599, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1835' FSL & 2050 FEL (NW SE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:		SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input checked="" type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other)		

5. LEASE
U-081
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Red Wash
8. FARM OR LEASE NAME
Red Wash Unit
9. WELL NO.
143 (33-14B)
10. FIELD OR WILDCAT NAME
Red Wash Field
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 14, T7S, R23E, SLBN
12. COUNTY OR PARISH
Uintah
13. STATE
Utah
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
KB 5706'

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to frac well per attached procedure:

Present Status:

Date: December, 1980
BOPD: 25
BWPD: 900

Additional surface
disturbances required
for this activity.

3-USGS
2-state
3-partners
1-JAH
1-Sec 723
1-file

APPROVED BY THE DIVISION
OF OIL, GAS, AND MINING
DATE: 1-12-81

Subsurface Safety Valve: Manu. and Type BY: Original Signature C. B. Bush Set @ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Arlene Z. Bush TITLE Technical Asst DATE January 8, 1981

(This space for Federal or State office use)

APPROVED BY TITLE DATE
CONDITIONS OF APPROVAL, IF ANY:

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

PRESENT STATUS:

Total Depth: 5885'
PBD: 5871'
Casing: 7", 23#, J-55, Landed @ 5877'
Tubing: 2 7/8", 6.5#, J-55, EUE, Landed @ 5847'

TUBING DETAIL:

KB-TH	12.00
Stretch	2.50
184 Jts.	5795.13
PSN	1.10
BAC	2.35
PUP	10.06
Slotted Gas Anchor	23.50
	<u>5846.64'</u>

EXISTING PERFORATIONS:

Vertically Opposed Abrasijet Notches

5189-92'	I _D	5683-84'	K _F
5592-94'	K _D	5690-92'	K _F
5606-09'	K _D	5714-16'	L _A
5636-40'	K _E	5738-42'	L _B
5655-56'	K _F	5849-51'	L _F

Proposed Perforations² Jts/ft

5628-31'	K _E
5654-59'	K _F
5663-77'	K _F
5835-41'	L _F
5798-5800'	L _E
5815-18'	L _F
5417-22'	J _E
5576-80'	K _C

3 - 60° Horizontal Abrasijet Notches @ 5142' I_C

PROCEDURE:

1. MIR & RU. NU BOPE. POOH with Tbg. and Pump. Transfer pumping equipment to yard for maintenance and repairs.
2. Clean out to PBD of 5871'. Circulate hole clean with 2% KCL water.
3. Rig up OWP to perforate the following intervals with 2 CJPF with a 4" casing gun. Correlate depths with attached gamma ray log. Depths taken from electric log dated 1/17/61.

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

<u>Interval</u>	<u>Sand</u>	<u>No. Of Shots</u>
5417-22'	JE	12
5576-80'	KC	10
5628-31'	KE	8
5654-59'	KF	12
5663-77'	KF	30
5798-5800'	LE	6
5815-18'	LF	8
5835-41'	LF	<u>14</u>
		100 shots

4. RIH with RBP, Packer, and Tbg. to swab test each zone for oil cut. Hydrotest Tbg. in hole. Swab until oil cut stabilizes. If zone is not giving up fluid, pump into it with 2% KCL water to break down perfs. Contact Denver with results. Pressure test casing to 1500#.

<u>Zone</u>	<u>Packer Setting</u>	<u>RBP Setting</u>
1	5790	PBTD
2	5620	5700
3	5570	5615
4	5410	5425
5	5135	5200

5. Prepare to frac as detailed in following treatment schedule. Check with Denver to determine the zones to be fractured.

Pumping Requirements:

Pw = 4,810 psi
Rate = 12 BPM
HHP = 1,414 HHP

Fluid System:

Treatment fluid - Super Emulsifrac consisting of 40% water phase and 60% Hydrocarbon phase.
Water Phase - 2% KCL water with 50 lb/M WG-12 and 5 gal/M SEM-7. Breaker as required.
Hydrocarbon Phase - Rangely Crude.
Flush - 2% KCL water with 10 lb/M WG-12.

Treatment Schedule:

Zone 1:

RTTS at 5,790'
Treat down tubing in 2 stages as follows (12 BPM):

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

	<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
1.	Pad	4,000	Super E			
2.	SLF	2,000	Super E	2	100M	4,000
3.	SLF	1,000	Super E	1	20/40	1,000
4.	SLF	2,000	Super E	2	20/40	4,000
5.	SLF	2,000	Super E	3	20/40	6,000
6.	SLF	2,000	Super E	3	10/20	6,000
7.	Diversion	500	Super E	Drop 200	1b. TLC-80	
8.	Repeat steps 1 through 6					
9.	Flush	±1,500	2% KCL water			

TOTALS: (Not including Tank Bottoms)

Super E - 26,500 gal.
Water - 12,100 gal.
Oil - 15,900 gal.
100M - 80 sks.
20/40 - 220 sks.
10/20 - 120 sks.

Keep well shut-in overnight to allow fracture to close. Circulate sand fill to surface.

Zone 2:

RTTS at 5,620', RBP at 5,700'

Treat down tubing in 3 stages as follows (12 BPM):

	<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
1.	Pad	4,000	Super E			
2.	SLF	2,000	Super E	2	100M	4,000
3.	SLF	1,000	Super E	1	20/40	1,000
4.	SLF	2,000	Super E	2	20/40	4,000
5.	SLF	2,000	Super E	3	20/40	6,000
6.	SLF	2,000	Super E	3	10/20	6,000
7.	Diversion	500	Super E	Drop 200#	TLC-80	
8.	Repeat steps 1 through 7					
9.	Repeat steps 1 through 6					
10.	Flush	±1,500	2% KCL Water			

TOTALS: (Not including Tank Bottoms)

Super E - 40,000 gal.
Water - 17,500 gal.
Oil - 24,000 gal.
100M - 120 sks.
20/40 - 330 sks.
10/20 - 180 sks.

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

Keep well shut-in overnight to allow fracture to close. Circulate sand fill to surface.

Zone 3:

RTTS at 5,570', RBP at 5,615'
Treat down tubing in 2 stages as follows (12 BPM):

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
1. Pad	4,000	Super E			
2. SLF	2,000	Super E	2	100M	4,000
3. SLF	1,000	Super E	1	20/40	1,000
4. SLF	2,000	Super E	2	20/40	4,000
5. SLF	2,000	Super E	3	20/40	6,000
6. SLF	2,000	Super E	3	10/20	6,000
7. Diversion	500	Super E	Drop 200	TLC-80	
8. Repeat steps 1 through 6					
9. Flush	±1,500	2% KCL water			

TOTALS: (Not including Tank Bottoms)

Super E - 26,500 gal.
Water - 12,100 gal.
Oil - 15,900 gal.
100M - 80 sks.
20/40 - 220 sks.
10/20 - 120 sks.

Keep well shut-in overnight to allow fracture to close. Circulate sand fill to surface.

Zone 4:

RTTS at ±5,400', RBP at 5,440' at 12 BPM as follows:

<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
1. Pad	4,000	Super E			
2. SLF	2,000	Super E	2	100M	4,000
3. SLF	1,000	Super E	1	20/40	1,000
4. SLF	2,000	Super E	2	20/40	4,000
5. SLF	2,000	Super E	3	20/40	6,000
6. SLF	2,000	Super E	3	10/20	6,000
7. Flush	±1,500	2% KCL water			

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

TOTALS: (Not including Tank Bottoms)

Super E - 13,000 gal.
Water - 6,700 gal.
Oil - 7,800 gal.
100M - 40 sks.
20/40 - 110 sks.
10/20 - 60 sks.

Keep well shut-in overnight to allow fracture to close. Circulate sand fill to surface.

Zone 5:

RTTS at $\pm 5,135'$, RBP at 5,200' (12 BPM):

	<u>Event</u>	<u>Volume</u>	<u>Fluid</u>	<u>Sand Conc</u>	<u>Sand Type</u>	<u>Sand Volume</u>
1.	Pad	4,000	Super E			
2.	SLF	2,000	Super E	2	100M	4,000
3.	SLF	1,000	Super E	1	20/40	1,000
4.	SLF	2,000	Super E	2	20/40	4,000
5.	SLF	2,000	Super E	3	20/40	6,000
6.	SLF	2,000	Super E	3	10/20	6,000
7.	Flush	$\pm 1,500$	2% KCL water			

TOTALS: (Not including Tank Bottoms)


Super E - 13,000 gal.
Water - 6,700 gal.
Oil - 7,800 gal.
100M - 40 sks.
20/40 - 110 sks.
10/20 - 60 sks.

Keep well shut-in overnight to allow fracture to close. Circulate sand fill to surface.

<u>TOTALS:</u>	<u>Zone 1</u>	<u>Zone 2</u>	<u>Zone 3</u>	<u>Zone 4</u>	<u>Zone 5</u>	<u>Total</u>
Super E	26,500	40,000	26,500	13,000	13,000	119,000
Water	12,100	7,500	12,100	6,700	6,700	45,100
Oil	15,900	24,000	15,900	7,800	7,800	71,400
100M	80	120	80	40	40	360
20/40	220	330	220	110	110	990
10/20	120	180	120	60	60	540

RWU #143 (33-14B)
Red Wash/Main Area
Uintah, Utah

6. POOH with Tbg., RBP, and packer. RIH with notched collar to clean out any remaining sand fill.
7. RIH with Tbg. and pump assembly. Place well on production and test. Send results to Denver.



TYPICAL RED WASH LOCATION

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well

2. NAME OF OPERATOR
CHEVRON U.S.A. INC.

3. ADDRESS OF OPERATOR
P. O. BOX 599, DENVER, CO 80201

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1835'FSL & 2050'FEL (NWSE)
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☐
☒
☒
☐
☐
☐
☐
☐
☐

RECEIVED

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF
OIL, GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*
This well was acidized and frac'd as follows:

1. MI & RU. ND tree, NU BOPE, POOH w/tbg & sub pump.
2. C/O to 5871.

3. Swbd perfs: 5189-92', 5592-94', 5606-09', 5636-40'

4. Perfd: 5831-36', 5415-20', 5135-50' w/2 SPF.

5. Stimulated perfs 5831-51' & 5415-20' w/250 ea. gal. and 5136-50' w/500 gal of 15% HCL. Swbd perfs.

6. Fraced 5415-20 using 21000 # snd & 15,000 super "E". Swbd same perfs - 30% oil cut.

7. RIH w/prod string. NU wellhead.

8. Turn well over to production.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Erin McLeonard TITLE Engineering Assist DATE October 1, 1981

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

Pres. Status:
6/81: 28 BOPD
756 BOPD
110 MCF

3-USGS
2-State
3-Partner
1-JAH
1-Sec. 723
1-File

RWA 143

33-14B

Sec 14, 7&, 23E

Bubly 9/28/88

42-381 50 SHEETS 5 SQUARE
42-382 100 SHEETS 5 SQUARE
42-389 200 SHEETS 5 SQUARE



N




reda meter



pump jack pad.

well head

line heater



UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. UNIT AGREEMENT NAME Red Wash Unit
2. NAME OF OPERATOR Chevron U.S.A. Inc., Room 13097	8. FARM OR LEASE NAME Red Wash
3. ADDRESS OF OPERATOR P. O. Box 599, Denver CO 80201	9. WELL NO. RWU #143 (33-14B)
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1,835' FSL 590' FWL (NW SE)	10. FIELD AND POOL, OR WILDCAT Red Wash-Green River
14. PERMIT NO. 43-047-15257	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 14-T7S-R23E
15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB: 5,706' GL: 5,694'	12. COUNTY OR PARISH Uintah
	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input checked="" type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input checked="" type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to recomplete RWU #143 as follows:

1. MIRU. N/D wellhead. N/U & test BOPE. POOH w/tbg & sub pump.
2. RIH w/bit & scraper to $\pm 5,525'$.
3. Set CICR @ $\pm 5,500'$. Cmt squeeze perforations from 5,592'-5,640'.
4. Perforate the following intervals w/csg guns loaded 4 spf, 90° phasing:
5,416'-5,422' 5,136'-5,162'
5,186'-5,204' 4,590'-4,596'
5. RIH w/ RBP & pkr. Isolate perfs 5,416'-5,422' & acidize w/500 gal 15% HCL.
6. Isolate 5,186'-5,204' & acidize w/500 gal 15% HCL.
7. Isolate 5,136'-5,162' & acidize w/500 gal 15% HCL.
8. Isolate 4,590'-4,596' & acidize w/500 gal 15% HCL.
9. Isolate perfs 4,590'-5,422' & swab test. POOH w/tools.
10. RIH w/production string. N/D BOPE. N/U wellhead.
11. RDMOL.

3-BLM
3-State
2-Partners
1-EEM
1-MKD
2-Dr1g
1-File

18. I hereby certify that the foregoing is true and correct

SIGNED J. H. Watson
(This space for Federal or State office use)

TITLE Technical Assistant

DATE 2-13-89

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING

DATE: 2-27-89

*See Instructions on Reverse Side

Federal approval of this action
is required before commencing
operations.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other Instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.

U-081

6. IN INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Red Wash Unit

8. FARM OR LEASE NAME

Red Wash

9. WELL NO.

RWU #143 (33-14B)

10. FIELD AND POOL, OR WILDCAT

Red Wash-Green River

11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 14-T7S-R23E

12. COUNTY OR PARISH

Uintah

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR
Chevron U.S.A. Inc., Room 13097

3. ADDRESS OF OPERATOR
P. O. Box 599, Denver CO 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
1,835' FSL
590' FWL (NW SE)

RECEIVED
MAR 19 1989
DIVISION OF
OIL, GAS & MINING

14. PERMIT NO.
43-047-15257

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
KB: 5,706' GL: 5,694'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☒
☐
☒

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. MIRU. N/D WH. N/U BOPE & test. POOH w/tbg & subpump.
2. RIH w/bit & scraper to 5,644'.
3. Set CICR @ 5,545'. Cmt sqz perfs @ 5,592'-5,640' w/100 sxs Class 'G' cmt + .8% D60 @ 15.8 ppg. Left 10' cmt on top of CICR. (PBSD @ 5,535')
4. Perforate the following intervals off of McCullough R.A. tracer log dated 2-12-61 (Cased hole log): 5,412'-20' (Je), 5,182'-5,200' (Id), 5,132'-5,158' (Ic), 4,584'-92' (Ft), using 4" HSCG 4 spf 90° phsg.
5. RIH w/RBP & pkr. Isolate each interval & acidize w/500 gals 15% HCL acid.
6. Swab test all zones. Swab test bottom 3 zones.
7. Squeeze off perfs 4,584'-92' (Ft) with 450 sxs 'G' cmt + .8% D60 @ 15.8 ppg. Drill out cmt and test perfs to 500# - ok.
8. POOH w/bit. RIH w/subpump on 2 7/8" tbg. N/D BOPE. N/U WH.
9. RDMOL.

3-BLM 1-Sec. 724-C
3-State 1-Sec. 724-R
2-Partners 1-File
1-EEM
1-MKD
2-Dr1g
1-PLM

18. I hereby certify that the foregoing is true and correct

SIGNED

J. A. Watson

TITLE

Technical Assistant

DATE

3-9-89

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil ☐ Gas ☐
☒ Well ☐ Well ☐ Other

2. Name of Operator
CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.
11002 E. 17500 S. VERNAL, UT 84078-8526

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
1835' FSL & 590' FWL (NW SE) SECTION 14, T7S, R23E, SLBM

Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791

5. Lease Designation and Serial No.
U-081

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
RED WASH UNIT

8. Well Name and No.
RED WASH UNIT 143 (33-14B)

9. API Well No.
43-047-15257

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>ADDED PERFORATIONS</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)
- HOT OIL AS NEEDED. MIRU. TOH WITH RODS AND PUMP. ND WH AND NU BOPE. RELEASE TAC AND TOH WITH TUBING.
 - CLEAN OUT TO 5535' PBTD WITH BIT AND SCRAPER.
 - RUN GR-CBL-CCL FROM PBTD TO ~ 200' ABOVE CEMENT TOP. PERFORATING INTERVALS SPECIFIED BELOW ASSUME CEMENT COVERAGE. MODIFY PERFORATING IF REQUIRED.
 - PERFORATE 5475-78' (K) AND 5464-69' (K) WITH 4 JSPF, 90 DEGREE PHASING, MAXIMUM AVAILABLE CHARGE VIA HSC. DEPTHS ARE FROM SCHLUMBERGER ELECTRIC LOG DATED 1/14/61.
 - TIH WITH PACKER, SET SAME AT ~ 5450' AND BREAK DOWN NEW PERFORATIONS. SWAB TEST SAME FOR FLUID ENTRY AND TYPE. RESULTS WILL DICTATE WHETHER THE NEW INTERVALS ARE TO BE STIMULATED OR EXCLUDED UNDER A CIBP.
 - SET PACKER AT ~ 4550' AND PERFORATE THE FOLLOWING INTERVALS THROUGH TUBING WITH 4 JSPF, 0 DEGREE PHASING, DECENTRALIZED MAXIMUM AVAILABLE CHARGE. DEPTHS ARE FROM SCHLUMBERGER ELECTRIC LOG DATED 1/14/61:
4966-70' Hd 4708-14' Gh
4941-45' Hc 4654-60' Gd
4930-36' Hc 4641-45' Gb
4830-33' Gs 4229-34' Ga
4810-13' Gq 4621-24' G
4768-74' Gm
 - FLOW/SWAB TEST AND EVALUATE. WELL WILL REQUIRE ROD PUMPING, BUT MAY NEED A NEW ROD STRING DESIGN.
 - RUN ROD PUMPING EQUIPMENT AS APPROPRIATE. RDMO. RETURN TO PRODUCTION.

14. I hereby certify that the foregoing is true and correct.
Signed G.D. SCOTT H.D. Scott Title DRILLING TECHNICIAN Date April 2, 1996

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See instruction on Reverse Side

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

Oil Gas
☒ Well ☐ Well ☐ Other

2. Name of Operator

CHEVRON U.S.A. PRODUCTION COMPANY

3. Address and Telephone No.

11002 E. 17500 S. VERNAL, UT 84078-8526

Steve McPherson in Red Wash (801) 781-4310
or Gary Scott in Rangely, CO. (970) 675-3791

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1835' FSL & 590' FWL (NW SE) SECTION 14, T7S, R23E, SLBM

5. Lease Designation and Serial No.

U-081

6. If Indian, Allottee or Tribe Name

N/A

7. If Unit or CA, Agreement Designation

RED WASH UNIT

8. Well Name and No.

RED WASH UNIT 143 (33-14B)

9. API Well No.

43-047-15257

10. Field and Pool, or Exploratory Area

RED WASH - GREEN RIVER

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment
☒ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other ADDED PERFORATIONS
☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

DATE OF WORK: 4/8/96 THRU 4/11/96

1. MIRU. POOH WITH PRODUCTION EQUIPMENT.

2. RIH WITH SCRAPER TO PBTD 5535'. POOH.


3. RUN CBL 5532-2200', CEMENT TOP @ 3420'.

4. PERFORATED AS BELOW:

4966-70' Hd 4708-14' Gh
4941-45' Hc 4654-60' Gd
4930-36' Hc 4641-45' Gb
4830-33' Gs 4229-34' Ga
4810-13' Gq 4621-24' G
4768-74' Gm 5466-69 and 5472-77'.

5. POOH WITH PACKER. RIH WITH PRODUCTION EQUIPMENT TO PUMP.

6. RDMO.



14. I hereby certify that the foregoing is true and correct.

Signed G.D. SCOTT

Title DRILLING TECHNICIAN

Date May 3, 1996

(This space for Federal or State office use)

Approved by:

Title

Conditions of approval, if any

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT--" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
Oil Gas
☐ Well ☐ Well ☒ Other MULTIPLE WELLS SEE ATTACHED LIST

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address and Telephone No
11002 E. 17500 S. VERNAL, UT 84078-8526 (801) 781-4300

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name
N/A

7. If Unit or CA, Agreement Designation
**RED WASH UNIT
I-SEC NO 761**

8. Well Name and No.

9. API Well No.

10. Field and Pool, or Exploratory Area
RED WASH - GREEN RIVER

11. County or Parish, State
UINTAH, UTAH

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input checked="" type="checkbox"/> Other <u>CHANGE OF OPERATOR</u>	<input type="checkbox"/> Dispose Water

(Note) Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

As of January 1, 2000 Chevron U.S.A. INC. resigns as Operator of the Red Wash Unit.
The Unit Number is I-SEC NO 761 effective October 31, 1950.

The successor operator under the Unit Agreement will be
Shenandoah Energy Inc.
475 17th Street, Suite 1000
Denver, CO 80202

Agreed and accepted to this 29th day of December, 1999

Shenandoah Energy Inc.
By: Mitchell L. Solich
Mitchell L. Solich
President

RECEIVED

DEC 30 1999

DIVISION OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.
Signed A. E. Wacker Title Assistant Secretary Date 12/29/99

(This space for Federal or State office use)

Approved by: _____ Title _____ Date _____
Conditions of approval, if any _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

OPERATOR CHANGE WORKSHEET**ROUTING**

1. GLH	4-KAS
2. CDW ✓	5-SJ ✓
3. JLT	6-FILE

Enter date after each listed item is completed

X Change of Operator (Well Sold)

Designation of Agent

Operator Name Change (Only)

Merger

The operator of the well(s) listed below has changed, effective:

01/01/2000**FROM:** (Old Operator):

CHEVRON USA INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078-8526

Phone: 1-(435)-781-4300

Account No. N0210

TO: (New Operator):

SHENANDOAH ENERGY INC

Address: 11002 E. 17500 S.

VERNAL, UT 84078

Phone: 1-(435)-781-4300

Account No. N4235

		CA No.	Unit:	RED WASH		
WELL(S)						
NAME	API	ENTITY	SECTION	TOWNSHIP	RANGE	LEASE
RWU 123 (43-13A)	43-047-15240	5670	13	07S	22E	FEDERAL
RWU 117 (14-21A)	43-047-16488	99998	21	07S	22E	FEDERAL
RWU 104 (14-22A)	43-047-15223	5670	22	07S	22E	FEDERAL
RWU 131 (41-22A)	43-047-15248	5670	22	07S	22E	FEDERAL
RWU 128 (32-23A)	43-047-15245	5670	23	07S	22E	FEDERAL
RWU 107 (12-28A)	43-047-15225	5670	28	07S	22E	FEDERAL
RWU 114 (41-28A)	43-047-15232	5670	28	07S	22E	FEDERAL
RWU 116 (23-28A)	43-047-15234	5670	28	07S	22E	FEDERAL
RWU 124 (14-28A)	43-047-15241	5670	28	07S	22E	FEDERAL
RWU 105 (32-29A)	43-047-16487	99998	29	07S	22E	FEDERAL
RWU 142 (12-33A)	43-047-16491	99996	33	07S	22E	FEDERAL
RWU 145 (24-13B)	43-047-15259	5670	13	07S	23E	FEDERAL
RWU 143 (33-14B)	43-047-15257	5670	14	07S	23E	FEDERAL
RWU 135 (12-18B)	43-047-15251	5670	18	07S	23E	FEDERAL
RWU 144 (21-18B)	43-047-15258	5670	18	07S	23E	FEDERAL
RWU 140 (24-22B)	43-047-15255	5670	22	07S	23E	FEDERAL
RWU 12 (41-24B)	43-047-16474	99998	24	07S	23E	FEDERAL
RWU 141 (11-27B)	43-047-15256	5670	27	07S	23E	FEDERAL
RWU 134 (14-28B)	43-047-16489	99996	28	07S	23E	FEDERAL
RWU 106 (12-17C)	43-047-15224	5670	17	07S	24E	FEDERAL
RWU 130 (32-27C)	43-047-15247	5670	27	07S	24E	FEDERAL
RWU 132 (32-5F)	43-047-15249	5670	05	08S	24E	FEDERAL
RWU 139 (43-29B)	43-047-16490	99996	29	07S	23E	FEDERAL

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/30/1999
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 08/09/2000



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

RECEIVED

FEB 07 2000

DIVISION OF
OIL, GAS AND MINING

IN REPLY REFER TO
UT-931

February 4, 2000

Shenandoah Energy Inc.
Attn: Rae Cusimano
475 17th Street, Suite 1000
Denver, Colorado 80202

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On December 30, 1999, we received an indenture whereby Chevron U.S.A. Inc. resigned as Unit Operator and Shenandoah Energy Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 4, 2000. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your statewide (Utah) oil and gas bond No. 0969 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

cc: Chevron U.S.A. Inc.

bcc: Field Manager - Vernal (w/enclosure)
Division of Oil, Gas & Mining
Minerals Adjudication Group U-932
File - Red Wash Unit (w/enclosure)
MMS - Data Management Division
Agr. Sec. Chron
Fluid Chron

UT931:TAThompson:tt:2/4/00

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
** Inspection Item: 8920007610								
UTU0566	4304715135	1 (41-26B) RED WASH NENE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU082	4304715141	10 (12-23B) RED WASH SWNW	23	T	7S	R23E OSI	CHEVRON U S A INCORPORATED	
UTU0559	4304715219	100A (43-21A) RED WA NESE	21	T	7S	R22E WIW	CHEVRON U S A INCORPORATED	
UTU0567	4304715220	101 (34-21B) RED WAS SWSE	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0561	4304715221	102 (41-24A) RED WAS SENE	24	T	7S	R22E WIW	CHEVRON U S A INCORPORATED	
UTU081	4304715222	103 (34-15B) RED WAS SWSE	15	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0559	4304715223	104 (14-22A) RED WAS SWSW	22	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0560	4304716487	105 (32-29A) RED WAS SWNE	29	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02148	4304715224	106 (12-17C) RED WAS SWNW	17	T	7S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU0558	4304715225	107 (12-28A) RED WAS SWNW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0567	4304715226	108 (32-21B) RED WAS SWNE	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304715227	109 (21-28B) RED WAS NENW	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715142	11 (34-27B) RED WASH SWSE	27	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0559	4304715228	110 (23-23A) RED WAS NESW	23	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU0561	4304715229	111 (32-24A) RED WAS SWNE	24	T	7S	R22E TA	CHEVRON U S A INCORPORATED	
UTU0558	4304715230	112 (32-28A) RED WAS SWNE	28	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU0558	4304715232	114 (41-28A) RED WAS NENE	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715233	115 (21-19B) RED WAS NENW	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0558	4304715234	116 (23-28A) RED WAS NESW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0560	4304716488	117 (14-21A) RED WAS SWSW	21	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0560	4304715236	119 (43-29A) RED WAS NESE	29	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU082	4304716474	12 (41-24B) RED WASH NENE	24	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU02025	4304715237	120 (23-28B) RED WAS NESW	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715238	121 (13-13B) RED WAS NWSW	13	T	7S	R23E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304715239	122 (24-14B) RED WAS SESW	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTSL066446A	4304715240	123 (43-13A) RED WAS NESE	13	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0558	4304715241	124 (14-28A) RED WAS SWSW	28	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715242	125 (34-19B) RED WAS SWSE	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0560	4304715243	126 (41-29A) RED WAS NENE	29	T	7S	R22E POW	CHEVRON U S A INCORPORATED	
UTU02030	4304715244	127 (12-19B) RED WAS SWNW	19	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0559	4304715245	128 (32-23A) RED WAS SWNE	23	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU081	4304715246	129 (14-15B) RED WAS SWSW	15	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715143	13 (14-22B) RED WASH SWSW	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTSL071965	4304715247	130 (32-27C) RED WAS SWNE	27	T	7S	R24E P+A	CHEVRON U S A INCORPORATED	
UTU0559	4304715248	131 (41-22A) RED WAS NENE	22	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU0823	4304715249	132 (32-5F) RED WASH SWNE	5	T	8S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU0566	4304715250	133 (41-34B) RED WAS NENE	34	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304716489	134 (14-28B) RED WAS SWSW	28	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU0116	4304715251	135 (12-18B) RED WAS SWNW	18	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU02030	4304715252	136 (43-19B) RED WAS NESE	19	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715253	137 (34-28B) RED WAS SWSE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02025	4304715254	138 (41-30B) RED WAS NENE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02025	4304716490	139 (43-29B) RED WAS NESE	29	T	7S	R23E ABD	CHEVRON U S A INCORPORATED	
UTU081	4304715144	14 (14-13B) RED WASH SWSW	13	T	7S	R23E WIWSI	CHEVRON U S A INCORPORATED	
UTU081	4304715255	140 (24-22B) RED WAS SESW	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715256	141 (11-27B) RED WAS NWNW	27	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0571	4304716491	142 (12-33A) RED WAS SWNW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715257	143 (33-14B) RED WAS NWSE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	

Well Status Report
Utah State Office
Bureau of Land Management

Lease	Api Number	Well Name	QTR	Section	Township	Range	Well Status	Operator
UTU0116	4304715258	144 (21-18B) RED WAS NENW	18	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715259	145 (24-13B) RED WAS SESW	13	T	7S	R23E OSI	CHEVRON U S A INCORPORATED	
UTU0559	4304716492	146 (12-21A) RED WAS SWNW	21	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715260	147 (22-22B) RED WAS SENW	22	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715261	148 (13-22B) RED WAS NWSW	22	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0571	4304715262	149 (21-33A) RED WAS NENW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02148	4304715145	15 (32-17C) RED WASH SWNE	17	T	7S	R24E PGW	CHEVRON U S A INCORPORATED	
UTU081	4304715263	150 (31-22B) RED WAS NWNE	22	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715264	151 (42-14B) RED WAS SENE	14	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02148	4304716493	152 (41-17C) RED WAS NENE	17	T	7S	R24E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715265	153 (14-29B) RED WAS SWSW	29	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
STATE	4304716494	154 (41-32B) RED WAS NENE	32	T	7S	R23E P+A	CHEVRON USA INC	
UTU0571	4304715266	155 (23-33A) RED WAS NESW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU081	4304715267	156 (23-15B) RED WAS NESW	15	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU02025	4304715268	158 (32-30B) RED WAS SWNE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0571	4304715269	159 (14-33A) RED WAS SWSW	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304716475	16 (43-28B) RED WASH NESE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715270	160 (32-15B) RED WAS SWNE	15	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU02030	4304715271	161 (14-20B) RED WAS SWSW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715272	162 (12-20B) RED WAS SWNW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715273	163 (34-33A) RED WAS SWSE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02025	4304715274	164 (12-28B) RED WAS SWNW	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0566	4304715275	165 (32-26B) RED WAS SWNE	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0562	4304715276	166 (23-14A) RED WAS NESW	14	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU0567	4304715277	167 (23-21B) RED WAS NESW	21	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU082	4304715278	168 (23-24B) RED WAS NESW	24	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304715146	17 (41-20B) RED WASH NENE	20	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304716495	170 (41-15B) RED WAS NENE	15	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715279	171 (32-33A) RED WAS SWNE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715280	172 (21-30B) RED WAS NENW	30	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0569	4304716496	173 (21-21B) RED WAS NENW	21	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0933	4304715281	174 (21-20B) RED WAS NENW	20	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0558	4304715282	175 (34-28A) RED WAS SWSE	28	T	7S	R22E ABD	CHEVRON U S A INCORPORATED	
UTU02030	4304715283	176 (31-28B) RED WAS NWNE	28	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02030	4304715284	177 (42-28B) RED WAS SENE	28	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU081	4304715285	178 (22-13B) RED WAS SENW	13	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0570	4304715286	179 (43-33A) RED WAS NESE	33	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	
UTU02149	4304715147	18 (41-19C) RED WASH NENE	19	T	7S	R24E ABD	CHEVRON U S A INCORPORATED	
UTU082	4304715287	180 (31-23B) RED WAS NWNE	23	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU02025	4304715288	181 (34-30B) RED WAS SWSE	30	T	7S	R23E POW	CHEVRON U S A INCORPORATED	
UTU0933	4304716497	182 (14-21B) RED WAS SWSW	21	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304715289	183 (33-13B) RED WAS NWSE	13	T	7S	R23E WIW	CHEVRON U S A INCORPORATED	
UTU0566	4304715290	184 (23-26B) RED WAS NESW	26	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU081	4304716498	185 (41-14B) RED WAS NENE	14	T	7S	R23E WIWSI	CHEVRON U S A INCORPORATED	
UTU02030	4304716499	186 (12-30B) RED WAS SWNW	30	T	7S	R23E P+A	CHEVRON U S A INCORPORATED	
UTU02030	4304715291	188 (23-20B) RED WAS NESW	20	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
STATE	4304715292	189 (41-16B) RED WAS NENE	16	T	7S	R23E TA	CHEVRON U S A INCORPORATED	
UTU0566	4304715148	19 (34-26B) RED WASH SWSE	26	T	7S	R23E GSI	CHEVRON U S A INCORPORATED	
UTU0560	4304716500	190 (34-29A) RED WAS SWSE	29	T	7S	R22E P+A	CHEVRON U S A INCORPORATED	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

2/1/2003

FROM: (Old Operator):	TO: (New Operator):
N4235-Shenandoah Energy Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341	N2460-QEP Uinta Basin Inc 11002 E 17500 S Vernal, UT 84078-8526 Phone: (435) 781-4341

CA No.

Unit:

RED WASH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS	Confid
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/2/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/2/2003
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/19/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 5292864-0151
5. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2) Waste Management Plan has been received on:

IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 7/21/2003

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 7/21/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 8/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 8/28/2003

3. Bond information entered in RBDMS on: n/a

4. Fee wells attached to bond in RBDMS on: n/a

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: 965-003-032

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: ESB000024

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 799446

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number 965-003-033

2. The **FORMER** operator has requested a release of liability from their bond on: n/a

The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:



Questar Exploration and Production Company
Independence Plaza
1050 17th Street, Suite 500
Denver, CO 80265
Tel 303 672 6900 • Fax 303 294 9632

Denver Division

May 28, 2003

Division of Oil, Gas, & Mining
1594 West North Temple, Suite 1210
P. O. Box 145801
Salt Lake City, Utah 84114-5801

Attention: John Baza/Jim Thompson

Gentlemen:

This will serve as notice that through the internal corporate changes described below, activities formerly conducted in the name of either Shenandoah Operating Company, LLC (SOC) and/or Shenandoah Energy, Inc. (SEI) will hereafter be conducted in the name of QEP Uinta Basin, Inc.: i) the Shenandoah entities were purchased in July, 2001 by Questar Market Resources, Inc., which is a mid-level holding company for the non-utility businesses of Questar Corporation, ii) Shenandoah Operating Company, LLC has now been merged into Shenandoah Energy, Inc. (SEI), iii) Shenandoah Energy, Inc. has now been re-named **QEP Uinta Basin, Inc.** pursuant to a State of Delaware Amended and Restated Certificate of Incorporation, iv) the same employees will continue to be responsible for operations of the former SOC and SEI properties, both in the field and in the office. Accordingly, the change involves only an internal corporate name change and no third party change of operator is involved. Please alter your records to reflect the entity name change. Attached is a spreadsheet listing all wells affected by this change.

Should you have any questions, please call me at 303 - 308-3056.

Yours truly,

Frank Nielsen
Division Landman

Enclosure

RECEIVED

JUN 02 2003

DIV. OF OIL, GAS & MINING

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RED WASH 22-21B	21	070S	230E	4304733522	5670	Federal	OW	TA	
RED WASH 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RED WASH 305 (41-4F)	04	080S	240E	4304732538	5670	Federal	GW	TA	
RED WASH 306	23	070S	240E	4304732629	5670	Federal	GW	P	
RED WASH 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RED WASH 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RWU 1 (41-26B)	26	070S	230E	4304715135	5670	Federal	OW	TA	
RWU 10 (12-23B)	23	070S	230E	4304715141	5670	Federal	OW	TA	
RWU 101 (34-21B)	21	070S	230E	4304715220	5670	Federal	OW	P	
RWU 103 (34-15B)	15	070S	230E	4304715222	5670	Federal	OW	P	
RWU 108 (32-21B)	21	070S	230E	4304715226	5670	Federal	OW	P	
RWU 109 (21-28B)	28	070S	230E	4304715227	5670	Federal	OW	P	
RWU 110 (23-23A)	23	070S	220E	4304715228	5670	Federal	OW	P	
RWU 111 (32-24A)	24	070S	220E	4304715229	5670	Federal	OW	TA	
RWU 112 (32-28A)	28	070S	220E	4304715230	5670	Federal	OW	P	
RWU 115 (21-19B)	19	070S	230E	4304715233	5670	Federal	OW	P	
RWU 119 (43-29A)	29	070S	220E	4304715236	5670	Federal	OW	P	
RWU 120 (23-28B)	28	070S	230E	4304715237	5670	Federal	OW	TA	
RWU 121 (13-13B)	13	070S	230E	4304715238	5670	Federal	GW	P	
RWU 122 (24-14B)	14	070S	230E	4304715239	5670	Federal	OW	P	
RWU 125 (34-19B)	19	070S	230E	4304715242	5670	Federal	OW	TA	
RWU 126 (41-29A)	29	070S	220E	4304715243	5670	Federal	OW	P	
RWU 127 (12-19B)	19	070S	230E	4304715244	5670	Federal	OW	TA	
RWU 129 (14-15B)	15	070S	230E	4304715246	5670	Federal	OW	P	
RWU 13 (14-22B)	22	070S	230E	4304715143	5670	Federal	OW	TA	
RWU 133 (41-34B)	34	070S	230E	4304715250	5670	Federal	OW	P	
RWU 136 (43-19B)	19	070S	230E	4304715252	5670	Federal	OW	TA	
RWU 137 (34-28B)	28	070S	230E	4304715253	5670	Federal	GW	TA	
RWU 138 (41-30B)	30	070S	230E	4304715254	5670	Federal	OW	P	
RWU 140 (24-22B)	22	070S	230E	4304715255	5670	Federal	OW	P	
RWU 141 (11-27B)	27	070S	230E	4304715256	5670	Federal	OW	TA	
RWU 143 (33-14B)	14	070S	230E	4304715257	5670	Federal	OW	P	
RWU 144 (21-18B)	18	070S	230E	4304715258	5670	Federal	OW	TA	
RWU 145 (24-13B)	13	070S	230E	4304715259	5670	Federal	OW	TA	
RWU 147 (22-22B)	22	070S	230E	4304715260	5670	Federal	OW	TA	
RWU 15 (32-17C)	17	070S	240E	4304715145	5670	Federal	OW	P	
RWU 151 (42-14B)	14	070S	230E	4304715264	5670	Federal	OW	P	
RWU 153 (14-29B)	29	070S	230E	4304715265	5670	Federal	OW	P	
RWU 158 (32-30B)	30	070S	230E	4304715268	5670	Federal	OW	P	
RWU 160 (32-15B)	15	070S	230E	4304715270	5670	Federal	OW	P	
RWU 162 (12-20B)	20	070S	230E	4304715272	5670	Federal	OW	TA	
RWU 164 (12-28B)	28	070S	230E	4304715274	5670	Federal	OW	P	
RWU 165 (32-26B)	26	070S	230E	4304715275	5670	Federal	GW	TA	
RWU 167 (23-21B)	21	070S	230E	4304715277	5670	Federal	OW	S	
RWU 168 (23-24B)	24	070S	230E	4304715278	5670	Federal	OW	TA	
RWU 172 (21-30B)	30	070S	230E	4304715280	5670	Federal	OW	TA	
RWU 176 (31-28B)	28	070S	230E	4304715283	5670	Federal	OW	TA	
RWU 177 (42-28B)	28	070S	230E	4304715284	5670	Federal	OW	TA	
RWU 178 (22-13B)	13	070S	230E	4304715285	5670	Federal	OW	TA	
RWU 180 (31-23B)	23	070S	230E	4304715287	5670	Federal	OW	TA	
RWU 181 (34-30B)	30	070S	230E	4304715288	5670	Federal	OW	P	
RWU 184 (23-26B)	26	070S	230E	4304715290	5670	Federal	OW	TA	
RWU 188 (23-20B)	20	070S	230E	4304715291	5670	Federal	OW	TA	
RWU 19 (34-26B)	26	070S	230E	4304715148	5670	Federal	GW	TA	
RWU 192 (41-33A)	33	070S	220E	4304715294	5670	Federal	OW	P	
RWU 193 (43-24B)	24	070S	230E	4304715295	5670	Federal	GW	S	
RWU 194 (12-14B)	14	070S	230E	4304715296	5670	Federal	OW	S	
RWU 196 (23-17C)	17	070S	240E	4304715298	5670	Federal	GW	S	
RWU 201 (32-28C)	28	070S	240E	4304715302	5670	Federal	GW	P	
RWU 204 (23-25A)	25	070S	220E	4304715305	5670	Federal	OW	P	
RWU 205 (23-21C)	21	070S	240E	4304715306	5670	Federal	GW	TA	
RWU 207	17	070S	230E	4304732738	5670	Federal	OW	P	
RWU 21 (32-14B)	14	070S	230E	4304715150	5670	Federal	OW	P	
RWU 212 (41-8F)	08	080S	240E	4304720014	5670	Federal	GW	P	
RWU 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RWU 219 (44-21C)	21	070S	240E	4304730149	5670	Federal	GW	P	
RWU 220 (22-23B)	23	070S	230E	4304730192	5670	Federal	OW	TA	
RWU 221 (13-27B)	27	070S	230E	4304730199	5670	Federal	OW	TA	
RWU 22-13A	13	070S	220E	4304733765	5670	Federal	OW	S	
RWU 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RWU 222 (31-27B)	27	070S	230E	4304730200	5670	Federal	GW	TA	
RWU 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RWU 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RWU 22-29B	29	070S	230E	4304733766	5670	Federal	OW	S	
RWU 224 (44-22B)	22	070S	230E	4304730202	5670	Federal	GW	TA	
RWU 225 (13-23B)	23	070S	230E	4304730212	5670	Federal	GW	TA	
RWU 226 (24-23B)	23	070S	230E	4304730249	5670	Federal	GW	S	
RWU 227 (14-26B)	26	070S	230E	4304730257	5670	Federal	OW	TA	
RWU 228 (21-34B)	34	070S	230E	4304730258	5670	Federal	OW	P	
RWU 229 (43-26B)	26	070S	230E	4304730259	5670	Federal	OW	TA	
RWU 230 (14-18C)	18	070S	240E	4304730309	5670	Federal	OW	TA	
RWU 231 (21-35B)	35	070S	230E	4304730310	5670	Federal	OW	TA	
RWU 232 (12-26B)	26	070S	230E	4304730311	5670	Federal	OW	TA	
RWU 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RWU 233 (12-25B)	25	070S	230E	4304730312	5670	Federal	OW	TA	
RWU 234 (32-24B)	24	070S	230E	4304730313	5670	Federal	OW	P	
RWU 235 (34-18C)	18	070S	240E	4304730314	5670	Federal	OW	P	
RWU 236 (21-19C)	19	070S	240E	4304730340	5670	Federal	GW	P	
RWU 237 (14-25B)	25	070S	230E	4304730341	5670	Federal	OW	P	
RWU 238 (32-35B)	35	070S	230E	4304730342	5670	Federal	OW	TA	
RWU 239 (41-35B)	35	070S	230E	4304730343	5670	Federal	OW	TA	
RWU 24 (34-14B)	14	070S	230E	4304715152	5670	Federal	OW	P	
RWU 240 (12-36B)	36	070S	230E	4304730344	5670	Federal	OW	P	
RWU 241 (22-14B)	14	070S	230E	4304730345	5670	Federal	OW	P	
RWU 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RWU 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RWU 242 (42-13B)	13	070S	230E	4304730346	5670	Federal	OW	P	
RWU 243 (42-18C)	18	070S	240E	4304730347	5670	Federal	OW	TA	
RWU 244 (23-19C)	19	070S	240E	4304730348	5670	Federal	GW	P	
RWU 246 (22-18C)	18	070S	240E	4304730387	5670	Federal	OW	P	
RWU 247 (22-17C)	17	070S	240E	4304730388	5670	Federal	GW	P	
RWU 26 (23-22B)	22	070S	230E	4304715153	5670	Federal	OW	TA	
RWU 262 (22-26B)	26	070S	230E	4304730517	5670	Federal	GW	TA	
RWU 265 (44-26B)	26	070S	230E	4304730520	5670	Federal	GW	P	
RWU 267 (32-17B)	17	070S	230E	4304732981	5670	Federal	OW	P	
RWU 27 (43-14B)	14	070S	230E	4304715154	5670	Federal	OW	TA	
RWU 270 (22-35B)	35	070S	230E	4304731082	5670	Federal	OW	P	
RWU 272 (44-23B)	23	070S	230E	4304731054	5670	Federal	GW	P	
RWU 273 (42-27B)	27	070S	230E	4304731051	5670	Federal	OW	TA	
RWU 276 (44-27B)	27	070S	230E	4304731053	5670	Federal	OW	TA	
RWU 278 (11-26)	26	070S	230E	4304731076	5670	Federal	GW	TA	
RWU 28 (43-22B)	22	070S	230E	4304715155	5670	Federal	OW	P	
RWU 280 (11-35B)	35	070S	230E	4304731079	5670	Federal	OW	P	
RWU 282 (42-26B)	26	070S	230E	4304731080	5670	Federal	GW	TA	
RWU 284 (33-23B)	23	070S	230E	4304731476	5670	Federal	GW	TA	
RWU 285 (11-24B)	24	070S	230E	4304731477	5670	Federal	OW	P	
RWU 286 (42-21B)	21	070S	230E	4304731478	5670	Federal	OW	P	
RWU 287 (44-13B)	13	070S	230E	4304731512	5670	Federal	OW	TA	
RWU 288 (24-27)	27	070S	230E	4304731513	5670	Federal	OW	TA	
RWU 289 (13-24B)	24	070S	230E	4304731517	5670	Federal	OW	P	
RWU 29 (32-23B)	23	070S	230E	4304715156	5670	Federal	OW	P	
RWU 292 (42-23B)	23	070S	230E	4304731576	5670	Federal	GW	TA	
RWU 293 (22-22A)	22	070S	220E	4304731581	5670	Federal	OW	TA	
RWU 294 (24-18C)	18	070S	240E	4304731582	5670	Federal	GW	P	
RWU 295 (11-22B)	22	070S	230E	4304731577	5670	Federal	GW	TA	
RWU 296 (12-35B)	35	070S	230E	4304731578	5670	Federal	OW	P	
RWU 297 (24-15B)	15	070S	230E	4304731579	5670	Federal	OW	P	
RWU 298 (22-27B)	27	070S	230E	4304731679	5670	Federal	OW	TA	
RWU 299 (32-18B)	18	070S	230E	4304733018	5670	Federal	OW	P	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 3 (34-23B)	23	070S	230E	4304715136	5670	Federal	OW	P	
RWU 30 (23-13B)	13	070S	230E	4304715157	5670	Federal	GW	TA	
RWU 301 (43-15B)	15	070S	230E	4304731682	5670	Federal	GW	S	
RWU 302 (22-24B)	24	070S	230E	4304731683	5670	Federal	GW	TA	
RWU 303 (34-17B)	17	070S	230E	4304731819	5670	Federal	OW	P	
RWU 31 (34-22B)	22	070S	230E	4304715158	5670	Federal	OW	P	
RWU 33 (14-14B)	14	070S	230E	4304715160	5670	Federal	GW	TA	
RWU 35 (43-13B)	13	070S	230E	4304715162	5670	Federal	OW	TA	
RWU 36 (32-13B)	13	070S	230E	4304715163	5670	Federal	GW	P	
RWU 38 (14-23B)	23	070S	230E	4304715165	5670	Federal	OW	P	
RWU 39 (14-24A)	24	070S	220E	4304715166	5670	Federal	OW	TA	
RWU 4 (41-22B)	22	070S	230E	4304715137	5670	Federal	OW	TA	
RWU 40 (21-24B)	24	070S	230E	4304715167	5670	Federal	OW	TA	
RWU 41 (34-13B)	13	070S	230E	4304715168	5670	Federal	OW	P	
RWU 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RWU 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RWU 42 (21-29C)	29	070S	240E	4304715169	5670	Federal	GW	P	
RWU 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RWU 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RWU 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RWU 42-25A	25	070S	220E	4304733580	5670	Federal	OW	S	
RWU 42-30B	30	070S	230E	4304733771	5670	Federal	OW	P	
RWU 43 (12-17B)	17	070S	230E	4304715170	5670	Federal	OW	P	
RWU 44 (32-33C)	33	070S	240E	4304715171	5670	Federal	GW	P	
RWU 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RWU 45 (23-30B)	30	070S	230E	4304715172	5670	Federal	OW	TA	
RWU 46 (41-21C)	21	070S	240E	4304715173	5670	Federal	GW	TA	
RWU 49 (12-29B)	29	070S	230E	4304715175	5670	Federal	OW	TA	
RWU 5 (41-23B)	23	070S	230E	4304715138	5670	Federal	OW	P	
RWU 50 (14-23A)	23	070S	220E	4304715176	5670	Federal	OW	P	
RWU 52 (14-18B)	18	070S	230E	4304715178	5670	Federal	OW	TA	
RWU 53 (41-25A)	25	070S	220E	4304715179	5670	Federal	OW	TA	
RWU 57 (12-18C)	18	070S	240E	4304715183	5670	Federal	OW	P	
RWU 63 (21-22B)	22	070S	230E	4304715186	5670	Federal	GW	TA	
RWU 64 (32-27B)	27	070S	230E	4304715187	5670	Federal	OW	TA	
RWU 66 (34-18B)	18	070S	230E	4304715189	5670	Federal	OW	P	
RWU 67 (42-22B)	22	070S	230E	4304715190	5670	Federal	OW	TA	
RWU 69 (21-27B)	27	070S	230E	4304715191	5670	Federal	OW	TA	
RWU 70 (23-22A)	22	070S	220E	4304715192	5670	Federal	OW	P	
RWU 71 (21-18C)	18	070S	240E	4304715193	5670	Federal	OW	P	
RWU 72 (23-27B)	27	070S	230E	4304715194	5670	Federal	OW	TA	
RWU 74 (12-13B)	13	070S	230E	4304715196	5670	Federal	GW	P	
RWU 75 (21-26B)	26	070S	230E	4304715197	5670	Federal	OW	TA	
RWU 76 (32-18C)	18	070S	240E	4304715198	5670	Federal	GW	S	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RWU 78 (32-28B)	28	070S	230E	4304715200	5670	Federal	OW	P	
RWU 79 (12-27B)	27	070S	230E	4304715201	5670	Federal	OW	TA	
RWU 8 (32-22B)	22	070S	230E	4304715139	5670	Federal	OW	P	
RWU 80 (14-27B)	27	070S	230E	4304715202	5670	Federal	OW	P	
RWU 81 (41-31B)	31	070S	230E	4304715203	5670	Federal	OW	P	
RWU 83 (41-27A)	27	070S	220E	4304715205	5670	Federal	OW	P	
RWU 84 (44-14B)	14	070S	230E	4304715206	5670	Federal	GW	P	
RWU 9 (43-23B)	23	070S	230E	4304715140	5670	Federal	OW	P	
RWU 90 (43-21B)	21	070S	230E	4304715211	5670	Federal	OW	P	
RWU 92 (11-23B)	23	070S	230E	4304715212	5670	Federal	OW	TA	
RWU 94 (12-22A)	22	070S	220E	4304715213	5670	Federal	OW	P	
RWU 99 (12-22B)	22	070S	230E	4304715218	5670	Federal	OW	P	
RED WASH UNIT 259	16	070S	230E	4304732785	5670	State	OW	P	
RED WASH UNIT 260	16	070S	230E	4304732786	5670	State	OW	P	
RWU 51 (12-16B)	16	070S	230E	4304715177	5670	State	OW	P	
RWU ST 189 (41-16B)	16	070S	230E	4304715292	5670	State	OW	P	
RED WASH UNIT 261	17	070S	230E	4304732739	5670	Federal	WI	A	
RWU 100-A (43-21A)	21	070S	220E	4304715219	5670	Federal	WI	A	

SEI (N4235) to QEP (N2460) RED WASH UNIT

well_name	Sec	T	R	api	Entity	Lease Type	type	stat	
RWU 102 (41-24A)	24	070S	220E	4304715221	5670	Federal	WI	A	
RWU 11	27	070S	230E	4304715142	5670	Federal	WI	A	
RWU 11-19B	19	070S	230E	4304733552	5670	Federal	WI	A	
RWU 11-20B	20	070S	230E	4304733553	5670	Federal	WI	A	
RWU 11-25A	25	070S	220E	4304733574	5670	Federal	WI	A	
RWU 11-29B	29	070S	230E	4304733590	5670	Federal	WI	A	
RWU 11-30B	30	070S	230E	4304733785	5670	Federal	WI	A	
RWU 12-24A	24	070S	220E	4304733591	5670	Federal	WI	A	
RWU 13-19B	19	070S	230E	4304733497	5670	Federal	WI	A	
RWU 13-20B	20	070S	230E	4304733498	5670	Federal	WI	A	
RWU 13-25A	25	070S	220E	4304733575	5670	Federal	WI	A	
RWU 14 (14-13B)	13	070S	230E	4304715144	5670	Federal	WI	A	
RWU 148 (13-22B)	22	070S	230E	4304715261	5670	Federal	WI	A	
RWU 150 (31-22B)	22	070S	230E	4304715263	5670	Federal	WI	I	
RWU 156 (23-15B)	15	070S	230E	4304715267	5670	Federal	WI	A	
RWU 16 (43-28B)	28	070S	230E	4304716475	5670	Federal	WI	I	
RWU 161 (14-20B)	20	070S	230E	4304715271	5670	Federal	WI	I	
RWU 17 (41-20B)	20	070S	230E	4304715146	5670	Federal	WI	A	
RWU 170 (41-15B)	15	070S	230E	4304716495	5670	Federal	WI	I	
RWU 173 (21-21B)	21	070S	230E	4304716496	5670	Federal	WI	A	
RWU 174 (21-20B)	20	070S	230E	4304715281	5670	Federal	WI	A	
RWU 182 (14-21B)	21	070S	230E	4304716497	5670	Federal	WI	A	
RWU 183 (33-13B)	13	070S	230E	4304715289	5670	Federal	WI	A	
RWU 185 (41-1B)	14	070S	230E	4304716498	5670	Federal	WI	A	
RWU 199 (43-22A)	22	070S	220E	4304715301	5670	Federal	WI	A	
RWU 2 (14-24B)	24	070S	230E	4304716472	5670	Federal	WI	A	
RWU 202 (21-34A)	34	070S	220E	4304715303	5670	Federal	WI	I	
RWU 213 (41-33B)	33	070S	230E	4304720060	5670	Federal	WD	A	
RWU 215 (43-28A)	28	070S	220E	4304730058	5670	Federal	WI	A	
RWU 216 (21-27A)	27	070S	220E	4304730103	5670	Federal	WI	A	
RWU 23 (21-23B)	23	070S	230E	4304715151	5670	Federal	WI	A	
RWU 23-18C (97)	18	070S	240E	4304715216	5670	Federal	WI	I	
RWU 25 (23-23B)	23	070S	230E	4304716476	5670	Federal	WI	A	
RWU 258 (34-22A)	22	070S	220E	4304730458	5670	Federal	WI	A	
RWU 263 (24-26B)	26	070S	230E	4304730518	5670	Federal	WI	I	
RWU 264 (31-35B)	35	070S	230E	4304730519	5670	Federal	WI	A	
RWU 266 (33-26B)	26	070S	230E	4304730521	5670	Federal	WI	I	
RWU 268 (43-17B)	17	070S	230E	4304732980	5670	Federal	WI	A	
RWU 269 (13-26B)	26	070S	230E	4304730522	5670	Federal	WI	I	
RWU 271 (42-35B)	35	070S	230E	4304731081	5670	Federal	WI	I	
RWU 275 (31-26B)	26	070S	230E	4304731077	5670	Federal	WI	A	
RWU 279 (11-36B)	36	070S	230E	4304731052	5670	Federal	WI	A	
RWU 283 (43-18B)	18	070S	230E	4304732982	5670	Federal	WI	A	
RWU 31-19B	19	070S	230E	4304733555	5670	Federal	WI	A	
RWU 31-25A	25	070S	220E	4304733577	5670	Federal	WI	A	
RWU 31-30B	30	070S	230E	4304733788	5670	Federal	WI	A	
RWU 33-19B	19	070S	230E	4304733499	5670	Federal	WI	A	
RWU 33-20B	20	070S	230E	4304733500	5670	Federal	WI	A	
RWU 33-25A	25	070S	220E	4304733578	5670	Federal	WI	A	
RWU 33-30B	30	070S	230E	4304733790	5670	Federal	WI	A	
RWU 34 (23-14B)	14	070S	230E	4304715161	5670	Federal	WI	A	
RWU 34-13A	13	070S	220E	4304733593	5670	Federal	WI	A	
RWU 34-24A	24	070S	220E	4304733568	5670	Federal	WI	A	
RWU 48 (32-19B)	19	070S	230E	4304715174	5670	Federal	WI	I	
RWU 56 (41-28B)	28	070S	230E	4304715182	5670	Federal	WI	A	
RWU 59 (12-24B)	24	070S	230E	4304716477	5670	Federal	WI	A	
RWU 6 (41-21B)	21	070S	230E	4304716482	5670	Federal	WI	A	
RWU 61 (12-27A)	27	070S	220E	4304716478	5670	Federal	WI	I	
RWU 68 (41-13B)	13	070S	230E	4304716485	5670	Federal	WI	I	
RWU 7 (41-27B)	27	070S	230E	4304716473	5670	Federal	WI	I	
RWU 88 (23-18B)	18	070S	230E	4304715210	5670	Federal	WI	A	
RWU 91 (33-22B)	22	070S	230E	4304716479	5670	Federal	WI	A	
RWU 93 (43-27B)	27	070S	230E	4304716480	5670	Federal	WI	I	
RWU 324 (23-16B)	16	070S	230E	4304733084	5670	State	WI	I	



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

IN REPLY REFER TO
UT-922

June 9, 2003

QEP Uinta Basin, Inc.
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On May 30, 2003, we received an indenture dated February 1, 2003, whereby Shenandoah Energy, Inc. changed its name and QEP Uinta Basin, Inc. was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective June 9, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under Red Wash Unit Agreement.

Your nationwide (Eastern States) oil and gas bond No. B000024 will be used to cover all operations within the Red Wash Unit.

It is requested that you notify all interested parties of the name change of unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks
Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
Minerals Adjudication Group
File – Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Fluid Chron

UT922:TAThompson:tt:6/9/03

JUL 07 2003

3104 (932.34)WF
Nationwide Bond ESB000024

NOTICE

QEP Uinta Basin, Inc.
1050 17th Street Suite 500
Denver, Colorado 80265

:
: Oil and Gas
: lease
:

Name Change Recognized

Acceptable evidence has been filed in this office concerning the name change of Shenandoah Energy Incorporated into QEP Uinta Basin, Incorporated. QEP Uinta Basin, Incorporated is the surviving entity. This name change is recognized effective April 17, 2003.

Eastern States will notify the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this notice.

If you have any questions, please contact Bill Forbes at 703-440-1536.

S/ Wilbert B. Forbes

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning,
Use and Protection

bc: JFO,MMS, ES RF, 930 RF, 932.34 RF, E-932: wbf:07 /07/03:440-1536/ QEP Uinta Basin
MFO

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ
2. CDW

Change of Operator (Well Sold)

X - Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/1/2007

FROM: (Old Operator): N2460-QEP Uinta Basin, Inc. 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900	TO: (New Operator): N5085-Questar E&P Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 672-6900
---	--

CA No.				Unit:	RED WASH UNIT			
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LISTS				*				

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/19/2007
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/16/2007
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 1/31/2005
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: IN PLACE
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: n/a
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 4/23/2007 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 4/23/2007
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on:
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 4/30/2007 and 5/15/2007
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 4/30/2007 and 5/15/2007
- Bond information entered in RBDMS on: 4/30/2007 and 5/15/2007
- Fee/State wells attached to bond in RBDMS on: 4/30/2007 and 5/15/2007
- Injection Projects to new operator in RBDMS on: 4/30/2007 and 5/15/2007
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 799446
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965003033
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: THIS IS A COMPANY NAME CHANGE.

SOME WELL NAMES HAVE BEEN CHANGED AS REQUESTED

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 1 (41-26B)	RW 41-26B	NENE	26	070S	230E	4304715135	5670	Federal	OW	TA
RWU 3 (34-23B)	RW 34-23B	SWSE	23	070S	230E	4304715136	5670	Federal	OW	P
RWU 4 (41-22B)	RW 41-22B	NENE	22	070S	230E	4304715137	5670	Federal	OW	TA
RWU 5 (41-23B)	RW 41-23B	NENE	23	070S	230E	4304715138	5670	Federal	OW	P
RWU 8 (32-22B)	RW 32-22B	SWNE	22	070S	230E	4304715139	5670	Federal	OW	P
RWU 9 (43-23B)	RW 43-23B	NESE	23	070S	230E	4304715140	5670	Federal	OW	P
RWU 10 (12-23B)	RW 12-23B	SWNW	23	070S	230E	4304715141	5670	Federal	OW	TA
RWU 11	RW 34-27B	SWSE	27	070S	230E	4304715142	99996	Federal	WI	A
RWU 13 (14-22B)	RW 14-22B	SWSW	22	070S	230E	4304715143	5670	Federal	OW	TA
RW 14-13B	RW 14-13B	SWSW	13	070S	230E	4304715144	99996	Federal	WI	A
RWU 15 (32-17C)	RW 32-17C	SWNE	17	070S	240E	4304715145	5670	Federal	OW	P
RWU 17 (41-20B)	RW 41-20B	NENE	20	070S	230E	4304715146	5670	Federal	WI	A
RWU 19 (34-26B)	RW 34-26B	SWSE	26	070S	230E	4304715148	5670	Federal	GW	S
RWU 21 (32-14B)	RW 32-14B	SWNE	14	070S	230E	4304715150	5670	Federal	OW	P
RWU 23 (21-23B)	RW 21-23B	SENW	23	070S	230E	4304715151	99996	Federal	WI	A
RWU 24 (34-14B)	RW 34-14B	SWSE	14	070S	230E	4304715152	5670	Federal	OW	S
RWU 26 (23-22B)	RW 23-22B	NESW	22	070S	230E	4304715153	5670	Federal	OW	TA
RWU 27 (43-14B)	RW 43-14B	NESE	14	070S	230E	4304715154	5670	Federal	OW	TA
RWU 28 (43-22B)	RW 43-22B	NESE	22	070S	230E	4304715155	5670	Federal	OW	P
RWU 29 (32-23B)	RW 32-23B	SWNE	23	070S	230E	4304715156	5670	Federal	OW	P
RW 23-13B	RW 23-13B	NESW	13	070S	230E	4304715157	5670	Federal	GW	TA
RWU 31 (34-22B)	RW 34-22B	SWSE	22	070S	230E	4304715158	5670	Federal	OW	P
RWU 33 (14-14B)	RW 14-14B	SWSW	14	070S	230E	4304715160	5670	Federal	GW	TA
RWU 34 (23-14B)	RW 23-14B	NESW	14	070S	230E	4304715161	99996	Federal	WI	A
RW 43-13B	RW 43-13B	NESE	13	070S	230E	4304715162	5670	Federal	OW	TA
RWU 36 (32-13B)	RW 32-13B	SWNE	13	070S	230E	4304715163	5670	Federal	GW	P
RWU 38 (14-23B)	RW 14-23B	SWSW	23	070S	230E	4304715165	5670	Federal	OW	P
RWU 39 (14-24A)	RW 14-24A	SWSW	24	070S	220E	4304715166	5670	Federal	OW	TA
RWU 40 (21-24B)	RW 21-24B	NENW	24	070S	230E	4304715167	5670	Federal	OW	TA
RWU 41 (34-13B)	RW 34-13B	SWSE	13	070S	230E	4304715168	5670	Federal	OW	P
RWU 42 (21-29C)	RW 21-29C	NENW	29	070S	240E	4304715169	5670	Federal	GW	P
RWU 43 (12-17B)	RW 12-17B	SWNW	17	070S	230E	4304715170	5670	Federal	OW	P
RWU 44 (32-33C)	RW 32-33C	SWNE	33	070S	240E	4304715171	5670	Federal	GW	P
RWU 45 (23-30B)	RW 23-30B	NESW	30	070S	230E	4304715172	5670	Federal	OW	TA
RWU 46 (41-21C)	RW 41-21C	NENE	21	070S	240E	4304715173	5670	Federal	GW	TA
RWU 48 (32-19B)	RW 32-19B	SWNE	19	070S	230E	4304715174	99996	Federal	WI	I
RWU 49 (12-29B)	RW 12-29B	SWNW	29	070S	230E	4304715175	5670	Federal	OW	TA
RWU 50 (14-23A)	RW 14-23A	SWSW	23	070S	220E	4304715176	5670	Federal	OW	P
RWU 52 (14-18B)	RW 14-18B	SWSW	18	070S	230E	4304715178	5670	Federal	OW	TA
RWU 53 (41-25A)	RW 41-25A	NENE	25	070S	220E	4304715179	5670	Federal	OW	TA
RWU 56 (41-28B)	RW 41-28B	NENE	28	070S	230E	4304715182	99996	Federal	WI	A

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 57 (12-18C)	RW 12-18C	SWNW	18	070S	240E	4304715183	5670	Federal	OW	P
RWU 63 (21-22B)	RW 21-22B	NENW	22	070S	230E	4304715186	5670	Federal	GW	TA
RWU 64 (32-27B)	RW 32-27B	SWNE	27	070S	230E	4304715187	5670	Federal	OW	TA
RWU 66 (34-18B)	RW 34-18B	SWSE	18	070S	230E	4304715189	5670	Federal	OW	P
RWU 67 (42-22B)	RW 42-22B	SENE	22	070S	230E	4304715190	5670	Federal	OW	TA
RWU 69 (21-27B)	RW 21-27B	NENW	27	070S	230E	4304715191	5670	Federal	OW	TA
RWU 70 (23-22A)	RW 23-22A	NESW	22	070S	220E	4304715192	5670	Federal	OW	P
RWU 71 (21-18C)	RW 21-18C	NENW	18	070S	240E	4304715193	5670	Federal	OW	P
RWU 72 (23-27B)	RW 23-27B	NESW	27	070S	230E	4304715194	5670	Federal	OW	TA
RWU 74 (12-13B)	RW 12-13B	SWNW	13	070S	230E	4304715196	5670	Federal	GW	S
RWU 75 (21-26B)	RW 21-26B	NENW	26	070S	230E	4304715197	5670	Federal	OW	TA
RWU 76 (32-18C)	RW 32-18C	SWNE	18	070S	240E	4304715198	5670	Federal	GW	P
RWU 77 (21-13B)	RWU 77 (21-13B)	NENW	13	070S	230E	4304715199	5670	Federal	OW	P
RWU 78 (32-28B)	RW 32-28B	SWNE	28	070S	230E	4304715200	5670	Federal	OW	P
RWU 79 (12-27B)	RW 12-27B	SWNW	27	070S	230E	4304715201	5670	Federal	OW	TA
RWU 80 (14-27B)	RW 14-27B	SWSW	27	070S	230E	4304715202	5670	Federal	OW	S
RWU 81 (41-31B)	RW 41-31B	NENE	31	070S	230E	4304715203	5670	Federal	OW	P
RWU 83 (41-27A)	RW 41-27A	NENE	27	070S	220E	4304715205	5670	Federal	OW	P
RWU 84 (44-14B)	RW 44-14B	SESE	14	070S	230E	4304715206	5670	Federal	GW	P
RWU 88 (23-18B)	RW 23-18B	NESW	18	070S	230E	4304715210	5670	Federal	WI	A
RWU 90 (43-21B)	RW 43-21B	NESE	21	070S	230E	4304715211	5670	Federal	OW	P
RWU 92 (11-23B)	RW 11-23B	NWNW	23	070S	230E	4304715212	5670	Federal	OW	TA
RWU 94 (12-22A)	RW 12-22A	SWNW	22	070S	220E	4304715213	5670	Federal	OW	P
RWU 23-18C (97)	RW 23-18C	NESW	18	070S	240E	4304715216	99996	Federal	WI	I
RWU 99 (12-22B)	RW 12-22B	SWNW	22	070S	230E	4304715218	5670	Federal	OW	P
RWU 100-A (43-21A)	RW 43-21A	NESE	21	070S	220E	4304715219	5670	Federal	WI	A
RWU 101 (34-21B)	RW 34-21B	SWSE	21	070S	230E	4304715220	5670	Federal	OW	P
RWU 102 (41-24A)	RW 41-24A	SENE	24	070S	220E	4304715221	5670	Federal	WI	A
RWU 103 (34-15B)	RW 34-15B	SWSE	15	070S	230E	4304715222	5670	Federal	OW	P
RWU 108 (32-21B)	RW 32-21B	SWNE	21	070S	230E	4304715226	5670	Federal	OW	P
RWU 109 (21-28B)	RW 21-28B	NENW	28	070S	230E	4304715227	5670	Federal	OW	P
RWU 110 (23-23A)	RW 23-23A	NESW	23	070S	220E	4304715228	5670	Federal	OW	P
RWU 111 (32-24A)	RW 32-24A	SWNE	24	070S	220E	4304715229	5670	Federal	OW	S
RWU 112 (32-28A)	RW 32-28A	SWNE	28	070S	220E	4304715230	5670	Federal	OW	S
RWU 115 (21-19B)	RW 21-19B	NENW	19	070S	230E	4304715233	5670	Federal	OW	P
RWU 119 (43-29A)	RW 43-29A	NESE	29	070S	220E	4304715236	5670	Federal	OW	P
RWU 120 (23-28B)	RW 23-28B	NESW	28	070S	230E	4304715237	5670	Federal	OW	TA
RW 13-13B	RW 13-13B	NWSW	13	070S	230E	4304715238	5670	Federal	GW	P
RWU 122 (24-14B)	RW 24-14B	SESW	14	070S	230E	4304715239	5670	Federal	OW	P
RWU 125 (34-19B)	RW 34-19B	SWSE	19	070S	230E	4304715242	5670	Federal	OW	TA
RWU 126 (41-29A)	RW 41-29A	NENE	29	070S	220E	4304715243	5670	Federal	OW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 127 (12-19B)	RW 12-19B	SWNW	19	070S	230E	4304715244	5670	Federal	OW	S
RWU 129 (14-15B)	RW 14-15B	SWSW	15	070S	230E	4304715246	5670	Federal	OW	P
RWU 133 (41-34B)	RW 41-34B	NENE	34	070S	230E	4304715250	5670	Federal	OW	P
RWU 136 (43-19B)	RW 43-19B	NESE	19	070S	230E	4304715252	5670	Federal	OW	TA
RWU 137 (34-28B)	RW 34-28B	SWSE	28	070S	230E	4304715253	5670	Federal	GW	TA
RWU 138 (41-30B)	RW 41-30B	NENE	30	070S	230E	4304715254	5670	Federal	OW	P
RWU 140 (24-22B)	RW 24-22B	SESW	22	070S	230E	4304715255	5670	Federal	OW	P
RWU 141 (11-27B)	RW 11-27B	NWNW	27	070S	230E	4304715256	5670	Federal	OW	TA
RWU 143 (33-14B)	RW 33-14B	NWSE	14	070S	230E	4304715257	5670	Federal	OW	P
RWU 144 (21-18B)	RW 21-18B	NENW	18	070S	230E	4304715258	5670	Federal	OW	TA
RW 24-13B	RW 24-13B	SESW	13	070S	230E	4304715259	5670	Federal	OW	TA
RWU 147 (22-22B)	RW 22-22B	SESW	22	070S	230E	4304715260	5670	Federal	OW	TA
RWU 148 (13-22B)	RW 13-22B	NWSW	22	070S	230E	4304715261	99996	Federal	WI	A
RWU 150 (31-22B)	RW 31-22B	NWNE	22	070S	230E	4304715263	99996	Federal	WI	I
RWU 151 (42-14B)	RW 42-14B	SENE	14	070S	230E	4304715264	5670	Federal	OW	P
RWU 153 (14-29B)	RW 14-29B	SWSW	29	070S	230E	4304715265	5670	Federal	OW	P
RWU 156 (23-15B)	RW 23-15B	NESW	15	070S	230E	4304715267	99990	Federal	WI	A
RWU 158 (32-30B)	RW 32-30B	SWNE	30	070S	230E	4304715268	5670	Federal	OW	P
RWU 160 (32-15B)	RW 32-15B	SWNE	15	070S	230E	4304715270	5670	Federal	OW	P
RWU 161 (14-20B)	RW 14-20B	SWSW	20	070S	230E	4304715271	99996	Federal	WI	I
RWU 162 (12-20B)	RW 12-20B	SWNW	20	070S	230E	4304715272	5670	Federal	OW	P
RWU 164 (12-28B)	RW 12-28B	SWNW	28	070S	230E	4304715274	5670	Federal	OW	P
RWU 165 (32-26B)	RW 32-26B	SWNE	26	070S	230E	4304715275	5670	Federal	GW	TA
RWU 167 (23-21B)	RW 23-21B	NESW	21	070S	230E	4304715277	5670	Federal	OW	S
RWU 168 (23-24B)	RW 23-24B	NESW	24	070S	230E	4304715278	5670	Federal	OW	TA
RWU 172 (21-30B)	RW 21-30B	NENW	30	070S	230E	4304715280	5670	Federal	OW	TA
RWU 174 (21-20B)	RW 21-20B	NENW	20	070S	230E	4304715281	5670	Federal	WI	A
RWU 176 (31-28B)	RW 31-28B	NWNE	28	070S	230E	4304715283	5670	Federal	OW	TA
RWU 177 (42-28B)	RW 42-28B	SENE	28	070S	230E	4304715284	5670	Federal	OW	TA
RW 22-13B	RW 22-13B	SESW	13	070S	230E	4304715285	5670	Federal	OW	TA
RWU 180 (31-23B)	RW 31-23B	NWNE	23	070S	230E	4304715287	5670	Federal	OW	TA
RWU 181 (34-30B)	RW 34-30B	SWSE	30	070S	230E	4304715288	5670	Federal	OW	P
RW 33-13B	RW 33-13B	NWSE	13	070S	230E	4304715289	5670	Federal	WI	A
RWU 184 (23-26B)	RW 23-26B	NESW	26	070S	230E	4304715290	5670	Federal	GW	S
RWU 188 (23-20B)	RW 23-20B	NESW	20	070S	230E	4304715291	5670	Federal	OW	TA
RWU 192 (41-33A)	RW 41-33A	NENE	33	070S	220E	4304715294	5670	Federal	OW	P
RWU 193 (43-24B)	RW 43-24B	NESE	24	070S	230E	4304715295	5670	Federal	GW	TA
RWU 194 (12-14B)	RW 12-14B	SWNW	14	070S	230E	4304715296	5670	Federal	OW	S
RWU 196 (23-17C)	RW 23-17C	NESW	17	070S	240E	4304715298	5670	Federal	GW	TA
RWU 199 (43-22A)	RW 43-22A	NESE	22	070S	220E	4304715301	99996	Federal	WI	A
RWU 201 (32-28C)	RW 32-28C	SWNE	28	070S	240E	4304715302	5670	Federal	GW	P

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 202 (21-34A)	RW 21-34A	NENW	34	070S	220E	4304715303	99996	Federal	WI	I
RWU 204 (23-25A)	RW 23-25A	NESW	25	070S	220E	4304715305	5670	Federal	OW	P
RWU 205 (23-21C)	RW 23-21C	NESW	21	070S	240E	4304715306	5670	Federal	GW	TA
RWU 2 (14-24B)	RW 14-24B	SWSW	24	070S	230E	4304716472	99996	Federal	WI	A
RWU 7 (41-27B)	RW 41-27B	NENE	27	070S	230E	4304716473	99996	Federal	WI	I
RWU 16 (43-28B)	RW 43-28B	NESE	28	070S	230E	4304716475	99996	Federal	WI	I
RWU 25 (23-23B)	RW 23-23B	NESW	23	070S	230E	4304716476	99996	Federal	WI	A
RWU 59 (12-24B)	RW 12-24B	SWNW	24	070S	230E	4304716477	99996	Federal	WI	A
RWU 61 (12-27A)	RW 12-27A	SWNW	27	070S	220E	4304716478	99996	Federal	WI	I
RWU 91 (33-22B)	RW 33-22B	NWSE	22	070S	230E	4304716479	99996	Federal	WI	A
RWU 93 (43-27B)	RW 43-27B	NESE	27	070S	230E	4304716480	99996	Federal	WI	I
RWU 6 (41-21B)	RW 41-21B	NENE	21	070S	230E	4304716482	99996	Federal	WI	A
RWU 68 (41-13B)	RW 41-13B	NENE	13	070S	230E	4304716485	99996	Federal	WI	I
RWU 170 (41-15B)	RW 41-15B	NENE	15	070S	230E	4304716495	99996	Federal	WI	I
RWU 173 (21-21B)	RW 21-21B	NENW	21	070S	230E	4304716496	99996	Federal	WI	A
RWU 182 (14-21B)	RW 14-21B	SWSW	21	070S	230E	4304716497	99996	Federal	WI	A
RWU 185 (41-1B)	RW 41-14B	NENE	14	070S	230E	4304716498	99996	Federal	WI	A
RWU 212 (41-8F)	RW 41-8F	NENE	08	080S	240E	4304720014	5670	Federal	GW	P
RWU 213 (41-33B)	RW 41-33B	NENE	33	070S	230E	4304720060	99996	Federal	WD	A
RWU 215 (43-28A)	RW 43-28A	NESE	28	070S	220E	4304730058	99996	Federal	WD	A
RWU 216 (21-27A)	RW 21-27A	NENW	27	070S	220E	4304730103	99996	Federal	WI	A
RWU 219 (44-21C)	RW 44-21C	SESE	21	070S	240E	4304730149	5670	Federal	GW	S
RWU 220 (22-23B)	RW 22-23B	SENW	23	070S	230E	4304730192	5670	Federal	OW	TA
RWU 221 (13-27B)	RW 13-27B	NWSW	27	070S	230E	4304730199	5670	Federal	OW	TA
RWU 222 (31-27B)	RW 31-27B	NWNE	27	070S	230E	4304730200	5670	Federal	GW	TA
RWU 224 (44-22B)	RW 44-22B	SESE	22	070S	230E	4304730202	5670	Federal	GW	TA
RWU 225 (13-23B)	RW 13-23B	NWSW	23	070S	230E	4304730212	5670	Federal	GW	TA
RWU 226 (24-23B)	RW 24-23B	SESW	23	070S	230E	4304730249	5670	Federal	GW	S
RWU 227 (14-26B)	RW 14-26B	SWSW	26	070S	230E	4304730257	5670	Federal	OW	TA
RWU 228 (21-34B)	RW 21-34B	NENW	34	070S	230E	4304730258	5670	Federal	OW	P
RWU 229 (43-26B)	RW 43-26B	NESE	26	070S	230E	4304730259	5670	Federal	OW	TA
RWU 230 (14-18C)	RW 14-18C	SWSW	18	070S	240E	4304730309	5670	Federal	OW	P
RWU 231 (21-35B)	RW 21-35B	NENW	35	070S	230E	4304730310	5670	Federal	OW	TA
RWU 232 (12-26B)	RW 12-26B	SWNW	26	070S	230E	4304730311	5670	Federal	OW	TA
RWU 233 (12-25B)	RW 12-25B	SWNW	25	070S	230E	4304730312	5670	Federal	OW	TA
RWU 234 (32-24B)	RW 32-24B	SWNE	24	070S	230E	4304730313	5670	Federal	OW	P
RWU 235 (34-18C)	RW 34-18C	SWSE	18	070S	240E	4304730314	5670	Federal	OW	S
RWU 236 (21-19C)	RW 21-19C	NENW	19	070S	240E	4304730340	5670	Federal	GW	P
RWU 237 (14-25B)	RW 14-25B	SWSW	25	070S	230E	4304730341	5670	Federal	OW	P
RWU 238 (32-35B)	RW 32-35B	SWNE	35	070S	230E	4304730342	5670	Federal	OW	TA
RWU 239 (41-35B)	RW 41-35B	NENE	35	070S	230E	4304730343	5670	Federal	OW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 240 (12-36B)	RW 12-36B	SWNW	36	070S	230E	4304730344	5670	Federal	OW	S
RWU 241 (22-14B)	RW 22-14B	SENW	14	070S	230E	4304730345	5670	Federal	OW	P
RW 42-13B	RW 42-13B	SENE	13	070S	230E	4304730346	5670	Federal	OW	P
RWU 243 (42-18C)	RW 42-18C	SENE	18	070S	240E	4304730347	5670	Federal	OW	TA
RWU 244 (23-19C)	RW 23-19C	NESW	19	070S	240E	4304730348	5670	Federal	GW	P
RWU 246 (22-18C)	RW 22-18C	SENW	18	070S	240E	4304730387	5670	Federal	OW	P
RWU 247 (22-17C)	RW 22-17C	SENW	17	070S	240E	4304730388	5670	Federal	GW	P
RWU 258 (34-22A)	RW 34-22A	SWSE	22	070S	220E	4304730458	5670	Federal	WI	A
RWU 262 (22-26B)	RW 22-26B	SENW	26	070S	230E	4304730517	5670	Federal	GW	TA
RWU 263 (24-26B)	RW 24-26B	SESW	26	070S	230E	4304730518	99996	Federal	WI	I
RWU 264 (31-35B)	RW 31-35B	NWNE	35	070S	230E	4304730519	99996	Federal	WI	A
RWU 265 (44-26B)	RW 44-26B	SESE	26	070S	230E	4304730520	5670	Federal	GW	P
RWU 266 (33-26B)	RW 33-26B	NWSE	26	070S	230E	4304730521	99996	Federal	WI	I
RWU 269 (13-26B)	RW 13-26B	NWSW	26	070S	230E	4304730522	99996	Federal	WI	A
RWU 273 (42-27B)	RW 42-27B	SENE	27	070S	230E	4304731051	5670	Federal	OW	TA
RWU 279 (11-36B)	RW 11-36B	NWNW	36	070S	230E	4304731052	99996	Federal	WI	A
RWU 276 (44-27B)	RW 44-27B	SESE	27	070S	230E	4304731053	5670	Federal	OW	TA
RWU 272 (44-23B)	RW 44-23B	SESE	23	070S	230E	4304731054	5670	Federal	GW	P
RWU 278 (11-26)	RW 11-26	NWNW	26	070S	230E	4304731076	5670	Federal	GW	TA
RWU 275 (31-26B)	RW 31-26B	NWNE	26	070S	230E	4304731077	99996	Federal	WI	A
RWU 280 (11-35B)	RW 11-35B	NWNW	35	070S	230E	4304731079	5670	Federal	OW	P
RWU 282 (42-26B)	RW 42-26B	SENE	26	070S	230E	4304731080	5670	Federal	GW	TA
RWU 271 (42-35B)	RW 42-35B	SENE	35	070S	230E	4304731081	5670	Federal	WI	I
RWU 270 (22-35B)	RW 22-35B	SENW	35	070S	230E	4304731082	5670	Federal	OW	P
RWU 284 (33-23B)	RW 33-23B	NWSE	23	070S	230E	4304731476	5670	Federal	GW	TA
RWU 285 (11-24B)	RW 11-24B	NWNW	24	070S	230E	4304731477	5670	Federal	OW	P
RWU 286 (42-21B)	RW 42-21B	SENE	21	070S	230E	4304731478	5670	Federal	OW	P
RW 44-13B	RW 44-13B	SESE	13	070S	230E	4304731512	5670	Federal	OW	TA
RWU 288 (24-27)	RW 24-27	SESW	27	070S	230E	4304731513	5670	Federal	OW	TA
RWU 289 (13-24B)	RW 13-24B	NWSW	24	070S	230E	4304731517	5670	Federal	OW	P
RWU 292 (42-23B)	RW 42-23B	SENE	23	070S	230E	4304731576	5670	Federal	GW	TA
RWU 295 (11-22B)	RW 11-22B	NWNW	22	070S	230E	4304731577	5670	Federal	GW	TA
RWU 296 (12-35B)	RW 12-35B	SWNW	35	070S	230E	4304731578	5670	Federal	OW	S
RWU 297 (24-15B)	RW 24-15B	SESW	15	070S	230E	4304731579	5670	Federal	OW	P
RWU 293 (22-22A)	RW 22-22A	SENW	22	070S	220E	4304731581	5670	Federal	OW	TA
RWU 294 (24-18C)	RW 24-18C	SESW	18	070S	240E	4304731582	5670	Federal	GW	P
RWU 298 (22-27B)	RW 22-27B	SENW	27	070S	230E	4304731679	5670	Federal	OW	TA
RWU 301 (43-15B)	RW 43-15B	NESE	15	070S	230E	4304731682	5670	Federal	GW	TA
RWU 302 (22-24B)	RW 22-24B	SENW	24	070S	230E	4304731683	5670	Federal	GW	TA
RWU 303 (34-17B)	RW 34-17B	SWSE	17	070S	230E	4304731819	5670	Federal	OW	P
RED WASH 305 (41-4F)	RW 41-4F	C-NE	04	080S	240E	4304732538	5670	Federal	GW	TA

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RED WASH 306	RW 23-23C	NESW	23	070S	240E	4304732629	5670	Federal	GW	P
RWU 207	RW 14-17B	SWSW	17	070S	230E	4304732738	5670	Federal	OW	P
RED WASH UNIT 261	RW 23-17B	NESW	17	070S	230E	4304732739	5670	Federal	WI	A
RWU 268 (43-17B)	RW 43-17B	NESE	17	070S	230E	4304732980	5670	Federal	WI	A
RWU 267 (32-17B)	RW 32-17B	SWNE	17	070S	230E	4304732981	5670	Federal	OW	P
RWU 283 (43-18B)	RW 43-18B	NESE	18	070S	230E	4304732982	5670	Federal	WI	A
RWU 299 (32-18B)	RW 32-18B	SWNE	18	070S	230E	4304733018	5670	Federal	OW	P
RWU 42-20B	RW 42-20B	SENE	20	070S	230E	4304733490	5670	Federal	OW	P
RWU 22-20B	RW 22-20B	SENE	20	070S	230E	4304733491	5670	Federal	OW	S
RWU 24-19B	RW 24-19B	SESW	19	070S	230E	4304733492	5670	Federal	OW	P
RWU 13-19B	RW 13-19B	NWSW	19	070S	230E	4304733497	5670	Federal	WI	A
RWU 13-20B	RW 13-20B	NWSW	20	070S	230E	4304733498	5670	Federal	WI	A
RWU 33-19B	RW 33-19B	NWSE	19	070S	230E	4304733499	5670	Federal	WI	A
RWU 33-20B	RW 33-20B	NWSE	20	070S	230E	4304733500	5670	Federal	WI	A
RED WASH 22-21B	RW 22-21B	SENE	21	070S	230E	4304733522	5670	Federal	OW	S
RED WASH 24-20B	RW 24-20B	SESW	20	070S	230E	4304733523	5670	Federal	OW	P
RED WASH 44-19B	RW 44-19B	SESE	19	070S	230E	4304733524	5670	Federal	OW	P
RED WASH 44-20B	RW 44-20B	SESE	20	070S	230E	4304733525	5670	Federal	OW	P
RWU 11-19B	RW 11-19B	NWNW	19	070S	230E	4304733552	5670	Federal	WI	A
RWU 11-20B	RW 11-20B	NWNW	20	070S	230E	4304733553	5670	Federal	WI	A
RWU 24-18B	RW 24-18B	SESW	18	070S	230E	4304733554	5670	Federal	OW	P
RWU 31-19B	RW 31-19B	NWNE	19	070S	230E	4304733555	5670	Federal	WI	A
RWU 42-19B	RW 42-19B	SENE	19	070S	230E	4304733556	5670	Federal	OW	P
RWU 22-19B	RW 22-19B	SENE	19	070S	230E	4304733559	5670	Federal	OW	P
RWU 23-24A	RW 23-24A	NESW	24	070S	220E	4304733567	5670	Federal	OW	P
RWU 34-24A	RW 34-24A	SWSE	24	070S	220E	4304733568	5670	Federal	WI	A
RWU 42-24A	RW 42-24A	SENE	24	070S	220E	4304733569	5670	Federal	OW	S
RWU 11-25A	RW 11-25A	NWNW	25	070S	220E	4304733574	5670	Federal	WI	A
RWU 13-25A	RW 13-25A	NWSW	25	070S	220E	4304733575	5670	Federal	WI	A
RWU 21-25A	RW 21-25A	NENW	25	070S	220E	4304733576	5670	Federal	OW	P
RWU 31-25A	RW 31-25A	NWNE	25	070S	220E	4304733577	5670	Federal	WI	A
RWU 33-25A	RW 33-25A	NWSE	25	070S	220E	4304733578	5670	Federal	WI	A
RW 41-25AX	RW 41-25A	NENE	25	070S	220E	4304733579	5670	Federal	OW	P
RWU 42-25A	RWU 42-25A	SENE	25	070S	220E	4304733580	5670	Federal	OW	TA
RWU 11-29B	RW 11-29B	NWNW	29	070S	230E	4304733590	5670	Federal	WI	A
RWU 12-24A	RW 12-24A	SWNW	24	070S	220E	4304733591	5670	Federal	WI	A
RWU 21-24A	RW 21-24A	NENW	24	070S	220E	4304733592	5670	Federal	OW	P
RWU 34-13A	RW 34-13A	SWSE	13	070S	220E	4304733593	5670	Federal	WI	A
RWU 44-18B	RW 44-18B	SESE	18	070S	230E	4304733594	5670	Federal	OW	P
RW 22-13A	RW 22-13A	SENE	13	070S	220E	4304733765	13296	Federal	OW	S
RWU 22-29B	RW 22-29B	SENE	29	070S	230E	4304733766	5670	Federal	OW	S

QEP Uinta Basin (N2460) to QUESTAR E and P (N5085)
RED WASH UNIT

4/30/2007 and 5/15/2007

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 41-24A	RW 41-24A	NENE	24	070S	220E	4304733769	5670	Federal	OW	P
RWU 42-30B	RW 42-30B	SENE	30	070S	230E	4304733771	5670	Federal	OW	P
RWU 44-30B	RWU 44-30B	SESE	30	070S	230E	4304733772	5670	Federal	OW	P
RWU 11-30B	RW 11-30B	NWNW	30	070S	230E	4304733785	5670	Federal	WI	A
RWU 22-25A	RW 22-25A	SENE	25	070S	220E	4304733786	5670	Federal	OW	P
RWU 31-30B	RW 31-30B	NWNE	30	070S	230E	4304733788	5670	Federal	WI	A
RWU 33-30B	RW 33-30B	NWSE	30	070S	230E	4304733790	5670	Federal	WI	A
RED WASH U 34-27C	RW 34-27C	SWSE	27	070S	240E	4304735045	5670	Federal	GW	P
RWU 34-22C	RW 34-22C	SWSE	22	070S	240E	4304735098	5670	Federal	GW	P
RW 12G-20C	RW 12G-20C	SWNW	20	070S	240E	4304735239	14011	Federal	GW	S
RW 43G-08F	RW 43G-08F	NESE	08	080S	240E	4304735655		Federal	GW	APD
RW 22G-09F	RW 22G-09F	SENE	09	080S	240E	4304735656	15636	Federal	GW	OPS
RWU 34-23AG	RW 34-23AG	SWSE	23	070S	220E	4304735668	5670	Federal	OW	P
RWU 34-27AG	RWU 34-27AD	SWSE	27	070S	220E	4304735669	5670	Federal	OW	DRL
RWU 32-27AG	RWU 32-27AG	SWNE	27	070S	220E	4304735670	5670	Federal	OW	S
RW 14-34AMU	RW 14-34AMU	SWSW	34	070S	220E	4304735671	14277	Federal	GW	P
RW 12-08FG	RW 12-08FG	SWNW	08	080S	240E	4304736348		Federal	GW	APD
RW 44-08FG	RW 44-08FG	SESE	08	080S	240E	4304736349	15261	Federal	GW	P
RW 12-17FG	RW 12-17FG	SWNW	17	080S	240E	4304736350		Federal	GW	APD
RW 34-34 AMU	RW 34-34 AD	SWSE	34	070S	220E	4304736351		Federal	GW	APD
RW 44-35 AMU	RW 44-35 AMU	SESE	35	070S	220E	4304736352		Federal	GW	APD
RW 14-35 AMU	RW 14-35 AMU	SWSW	35	070S	220E	4304736354		Federal	GW	APD
RW 33-31 BMU	RW 33-31 BD	NWSE	31	070S	230E	4304736357		Federal	GW	APD
RW 13-31 BMU	RW 13-31 BD	NWSW	31	070S	230E	4304736358		Federal	GW	APD
RW 32-15FG	RW 32-15FG	SWNE	15	080S	240E	4304736443		Federal	GW	APD
RW 21-26AG	RW 21-26AD	NENW	26	070S	220E	4304736768		Federal	OW	APD
RW 43-26AG	RW 43-26AG	NESE	26	070S	220E	4304736769		Federal	OW	APD
RW 43-23AG	RW 43-23AG	NESE	23	070S	220E	4304736770		Federal	OW	APD
RW 41-26AG	RW 41-26AG	NENE	26	070S	220E	4304736818		Federal	OW	APD
RW 04-25BG	RW 04-25B	NWSW	25	070S	230E	4304736982		Federal	OW	APD
RW 01-25BG	RW 01-25BG	NWNW	25	070S	230E	4304736983		Federal	OW	APD
RW 04-26BG	RW 04-26BG	SESW	26	070S	230E	4304736984		Federal	OW	APD
RW 01-26BG	RW 01-26BG	SWNW	26	070S	230E	4304736985		Federal	OW	APD
RW 01-35BG	RW 01-35BG	SWNW	35	070S	230E	4304736986		Federal	OW	APD

RED WASH UNIT

Original Well Name	Well Name & No.	Q/Q	SEC	TWP	RNG	API	Entity	Lease	Well Type	Status
RWU 51 (12-16B)	RW 12-16B	SWNW	16	070S	230E	4304715177	5670	State	OW	P
RWU ST 189 (41-16B)	RW 41-16B	NENE	16	070S	230E	4304715292	5670	State	OW	S
RED WASH UNIT 259	RW 14-16B	SWSW	16	070S	230E	4304732785	5670	State	OW	P
RED WASH UNIT 260	RW 34-16B	SWSE	16	070S	230E	4304732786	5670	State	OW	P
RWU 324 (23-16B)	RW 23-16B	SESW	16	070S	230E	4304733084	5670	State	WI	OPS
RWU 21W-36A	RWU 21W-36A	NENW	36	070S	220E	4304733730		State	GW	LA
RWU 21G-36A	RWU 21G-36A	NENW	36	070S	220E	4304733731		State	OW	LA
RWU 41-36A	RWU 41-36A	NENE	36	070S	220E	4304733732		State	OW	LA
RWU 43-16B	RWU 43-16B	NESE	16	070S	230E	4304733733		State	OW	LA
RWU 21-16B	RWU 21-16B	NENW	16	070S	230E	4304733734		State	OW	LA
RWU 11-36A	RWU 11-36A	NWNW	36	070S	220E	4304733736		State	OW	LA
RWU 13-36A	RWU 13-36A	NWSW	36	070S	220E	4304733737		State	OW	LA
RW 32G-16C	RW 32G-16C	SWNE	16	070S	240E	4304735238	5670	State	GW	P
RW 14-36AMU	RW 14-36AMU	SWSW	36	070S	220E	4304736721		State	GW	APD
RW 01-36BG	RW 01-36BG	NWNW	36	070S	230E	4304736887	5670	State	OW	S
RW 24-16BG	RW 24-16BG	SESW	16	070S	230E	4304737746	5670	State	OW	DRL
RW 12-32BG	RW 12-32BG	SWNW	32	070S	230E	4304737946	15841	State	GW	DRL

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR: 1050 17th Street Suite 500 CITY Denver STATE CO ZIP 80265 PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: 1/1/2007	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: Operator Name Change
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective January 1, 2007 operator of record, QEP Uinta Basin, Inc., will hereafter be known as QUESTAR EXPLORATION AND PRODUCTION COMPANY. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: 965003033

Current operator of record, QEP UINTA BASIN, INC., hereby resigns as operator of the properties as described on the attached list.

Jay B. Neese, Executive Vice President, QEP Uinta Basin, Inc.

Successor operator of record, QUESTAR EXPLORATION AND PRODUCTION COMPANY, hereby assumes all rights, duties and obligations as operator of the properties as described on the attached list

Jay B. Neese, Executive Vice President
Questar Exploration and Production Company

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE

DATE 3/16/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL
OIL WELL ☐ GAS WELL ☐ OTHER _____

2. NAME OF OPERATOR
QUESTAR EXPLORATION AND PRODUCTION COMPANY

3. ADDRESS OF OPERATOR
1050 17th Street Suite 500 City: Denver STATE: CO ZIP: 80265
PHONE NUMBER: (303) 308-3068

4. LOCATION OF WELL

FOOTAGES AT SURFACE: attached

COUNTY: Uintah

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE: UTAH

5. LEASE DESIGNATION AND SERIAL NUMBER:
see attached

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
see attached

7. UNIT or CA AGREEMENT NAME:
see attached

8. WELL NAME and NUMBER:
see attached

9. API NUMBER:
attached

10. FIELD AND POOL, OR WILDCAT:

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>1/1/2007</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Well Name Changes</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

PER THE ATTACHED LIST OF WELLS, QUESTAR EXPLORATION AND PRODUCTION COMPANY REQUESTS THAT THE INDIVIDUAL WELL NAMES BE UPDATED IN YOUR RECORDS.

NAME (PLEASE PRINT) Debra K. Stanberry

TITLE Supervisor, Regulatory Affairs

SIGNATURE [Signature] DATE 4/17/2007

(This space for State use only)

RECEIVED

APR 19 2007

DIV. OF OIL, GAS & MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO
3180
UT-922

April 23, 2007

Questar Exploration and Production Company
1050 17th Street, Suite 500
Denver, Colorado 80265

Re: Red Wash Unit
Uintah County, Utah

Gentlemen:

On April 12, 2007, we received an indenture dated April 6, 2007, whereby QEP Uinta Basin, Inc. resigned as Unit Operator and Questar Exploration and Production Company was designated as Successor Unit Operator for the Red Wash Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective April 23, 2007. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Red Wash Unit Agreement.

Your nationwide oil and gas bond No. ESB000024 will be used to cover all federal operations within the Red Wash Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Greg J. Noble

Greg J. Noble
Acting Chief, Branch of Fluid Minerals

Enclosure

bcc: Field Manager - Vernal (w/enclosure)
SITLA
Division of Oil, Gas & Mining
File - Red Wash Unit (w/enclosure)
Agr. Sec. Chron
Reading File
Central Files

UT922:TAThompson:tt:4/23/07

RECEIVED

APR 30 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

Change of Operator (Well Sold)

X - Operator Name Change

The operator of the well(s) listed below has changed, effective:

6/14/2010

FROM: (Old Operator): N5085-Questar Exploration and Production Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048	TO: (New Operator): N3700-QEP Energy Company 1050 17th St, Suite 500 Denver, CO 80265 Phone: 1 (303) 308-3048
--	---

CA No.				Unit:		RED WASH		
WELL NAME	SEC TWN RNG			API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 6/28/2010
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 6/28/2010
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/24/2010
- Is the new operator registered in the State of Utah: Business Number: 764611-0143
- (R649-9-2) Waste Management Plan has been received on: Requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/16/2010 BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 8/16/2010
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/29/2010

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/30/2010
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/30/2010
- Bond information entered in RBDMS on: 6/30/2010
- Fee/State wells attached to bond in RBDMS on: 6/30/2010
- Injection Projects to new operator in RBDMS on: 6/30/2010
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: ESB000024
- Indian well(s) covered by Bond Number: 965010693
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number 965010695
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS		5. LEASE DESIGNATION AND SERIAL NUMBER See attached
<small>Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.</small>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: See attached
		7. UNIT or CA AGREEMENT NAME: See attached
		8. WELL NAME and NUMBER: See attached
		9. API NUMBER: Attached
1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		10. FIELD AND POOL, OR WILDCAT: See attached
2. NAME OF OPERATOR: Questar Exploration and Production Company <i>N5085</i>		
3. ADDRESS OF OPERATOR: 1050 17th Street, Suite 500 CITY: Denver STATE: CO ZIP: 80265		PHONE NUMBER: (303) 672-6900
4. LOCATION OF WELL		
FOOTAGES AT SURFACE: See attached		COUNTY: Attached
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH

11 CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/14/2010</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Operator Name Change</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 14, 2010 Questar Exploration and Production Company changed its name to QEP Energy Company. This name change involves only an internal corporate name change and no third party change of operator is involved. The same employees will continue to be responsible for operations of the properties described on the attached list. All operations will continue to be covered by bond numbers:

Federal Bond Number: 965002976 (BLM Reference No. ESB000024)

Utah State Bond Number: 965003033

Fee Land Bond Number: ~~965003033~~ *965010695*

BIA Bond Number: ~~799446~~ *965010693*

The attached document is an all inclusive list of the wells operated by Questar Exploration and Production Company. As of June 14, 2010 QEP Energy Company assumes all rights, duties and obligations as operator of the properties as described on the list

NAME (PLEASE PRINT) <u>Morgan Anderson</u>	TITLE <u>Regulatory Affairs Analyst</u>
SIGNATURE <i>Morgan Anderson</i>	DATE <u>6/23/2010</u>

(This space for State use only)

RECEIVED

JUN 28 2010

DIV. OF OIL, GAS & MINING

(See Instructions on Reverse Side)

APPROVED *6/30/2009*

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 34-23B	23	070S	230E	4304715136	5670	Federal	OW	P	
RW 41-23B	23	070S	230E	4304715138	5670	Federal	OW	P	
RW 32-22B	22	070S	230E	4304715139	5670	Federal	OW	P	
RW 43-23B	23	070S	230E	4304715140	5670	Federal	OW	P	
RW 32-17C	17	070S	240E	4304715145	5670	Federal	OW	P	
RW 34-26B	26	070S	230E	4304715148	5670	Federal	GW	TA	
RW 32-14B	14	070S	230E	4304715150	5670	Federal	OW	P	
RW 34-14B	14	070S	230E	4304715152	5670	Federal	OW	S	
RW 23-22B	22	070S	230E	4304715153	5670	Federal	OW	TA	
RW 43-22B	22	070S	230E	4304715155	5670	Federal	OW	P	
RW 32-23B	23	070S	230E	4304715156	5670	Federal	OW	P	
RW 23-13B	13	070S	230E	4304715157	5670	Federal	GW	TA	
RW 34-22B	22	070S	230E	4304715158	5670	Federal	OW	P	
RW 32-13B	13	070S	230E	4304715163	5670	Federal	GW	P	
RW 14-23B	23	070S	230E	4304715165	5670	Federal	OW	S	
RW 14-24A	24	070S	220E	4304715166	17554	Federal	OW	DRL	
RW 21-24B	24	070S	230E	4304715167	5670	Federal	OW	TA	
RW 34-13B	13	070S	230E	4304715168	5670	Federal	OW	P	
RW 21-29C	29	070S	240E	4304715169	5670	Federal	GW	P	
RW 12-17B	17	070S	230E	4304715170	5670	Federal	OW	P	
RW 32-33C	33	070S	240E	4304715171	5670	Federal	GW	P	
RW 14-23A	23	070S	220E	4304715176	5670	Federal	OW	P	
RW 12-18C	18	070S	240E	4304715183	5670	Federal	OW	P	
RW 21-22B	22	070S	230E	4304715186	5670	Federal	GW	TA	
RW 34-18B	18	070S	230E	4304715189	5670	Federal	OW	P	
RW 21-27B	27	070S	230E	4304715191	5670	Federal	OW	TA	
RW 23-22A	22	070S	220E	4304715192	5670	Federal	OW	P	
RW 21-18C	18	070S	240E	4304715193	5670	Federal	OW	P	
RW 12-13B	13	070S	230E	4304715196	5670	Federal	GW	S	
RW 32-18C	18	070S	240E	4304715198	5670	Federal	GW	P	
RWU 77 (21-13B)	13	070S	230E	4304715199	5670	Federal	OW	P	
RW 32-28B	28	070S	230E	4304715200	5670	Federal	OW	P	
RW 12-27B	27	070S	230E	4304715201	5670	Federal	OW	TA	
RW 14-27B	27	070S	230E	4304715202	5670	Federal	OW	P	
RW 41-31B	31	070S	230E	4304715203	5670	Federal	OW	P	
RW 41-27A	27	070S	220E	4304715205	5670	Federal	OW	S	
RW 44-14B	14	070S	230E	4304715206	5670	Federal	GW	P	
RW 43-21B	21	070S	230E	4304715211	5670	Federal	OW	P	
RW 12-22A	22	070S	220E	4304715213	5670	Federal	OW	P	
RW 12-22B	22	070S	230E	4304715218	5670	Federal	OW	P	
RW 34-21B	21	070S	230E	4304715220	5670	Federal	OW	P	
RW 34-15B	15	070S	230E	4304715222	5670	Federal	OW	P	
RW 32-21B	21	070S	230E	4304715226	5670	Federal	OW	P	
RW 21-28B	28	070S	230E	4304715227	5670	Federal	OW	P	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 23-23A	23	070S	220E	4304715228	5670	Federal	OW	P	
RW 32-24A	24	070S	220E	4304715229	5670	Federal	OW	P	
RW 32-28A	28	070S	220E	4304715230	5670	Federal	OW	S	
RW 21-19B	19	070S	230E	4304715233	5670	Federal	OW	P	
RW 43-29A	29	070S	220E	4304715236	5670	Federal	OW	S	C
RW 23-28B	28	070S	230E	4304715237	17525	Federal	OW	P	C
RW 13-13B	13	070S	230E	4304715238	5670	Federal	GW	P	
RW 24-14B	14	070S	230E	4304715239	5670	Federal	OW	P	
RW 41-29A	29	070S	220E	4304715243	5670	Federal	OW	P	
RW 14-15B	15	070S	230E	4304715246	5670	Federal	OW	P	
RW 41-34B	34	070S	230E	4304715250	5670	Federal	OW	P	
RW 41-30B	30	070S	230E	4304715254	5670	Federal	OW	P	
RW 24-22B	22	070S	230E	4304715255	5670	Federal	OW	P	
RW 33-14B	14	070S	230E	4304715257	5670	Federal	OW	P	
RW 21-18B	18	070S	230E	4304715258	5670	Federal	OW	TA	
RW 22-22B	22	070S	230E	4304715260	5670	Federal	OW	TA	C
RW 42-14B	14	070S	230E	4304715264	5670	Federal	OW	P	
RW 14-29B	29	070S	230E	4304715265	5670	Federal	OW	P	
RW 32-30B	30	070S	230E	4304715268	5670	Federal	OW	P	
RW 32-15B	15	070S	230E	4304715270	5670	Federal	OW	P	
RW 12-20B	20	070S	230E	4304715272	5670	Federal	OW	S	
RW 12-28B	28	070S	230E	4304715274	5670	Federal	OW	P	
RW 32-26B	26	070S	230E	4304715275	5670	Federal	GW	TA	
RW 31-28B	28	070S	230E	4304715283	5670	Federal	OW	TA	
RW 34-30B	30	070S	230E	4304715288	5670	Federal	OW	P	
RW 23-26B	26	070S	230E	4304715290	5670	Federal	GW	S	
RW 41-33A	33	070S	220E	4304715294	5670	Federal	OW	P	
RW 43-24B	24	070S	230E	4304715295	5670	Federal	GW	TA	
RW 12-14B	14	070S	230E	4304715296	5670	Federal	OW	S	
RW 32-28C	28	070S	240E	4304715302	5670	Federal	GW	P	
RW 23-25A	25	070S	220E	4304715305	5670	Federal	OW	P	
RW 41-8F	08	080S	240E	4304720014	5670	Federal	GW	P	
RW 44-21C	21	070S	240E	4304730149	5670	Federal	GW	S	
RW 13-27B	27	070S	230E	4304730199	5670	Federal	OW	TA	
RW 21-34B	34	070S	230E	4304730258	5670	Federal	OW	P	
RW 43-26B	26	070S	230E	4304730259	5670	Federal	OW	TA	
RW 14-18C	18	070S	240E	4304730309	5670	Federal	OW	P	
RW 12-26B	26	070S	230E	4304730311	5670	Federal	OW	TA	
RW 32-24B	24	070S	230E	4304730313	5670	Federal	OW	P	
RW 34-18C	18	070S	240E	4304730314	5670	Federal	OW	P	
RW 21-19C	19	070S	240E	4304730340	5670	Federal	GW	P	
RW 14-25B	25	070S	230E	4304730341	5670	Federal	OW	P	
RW 32-35B	35	070S	230E	4304730342	5670	Federal	OW	TA	
RW 12-36B	36	070S	230E	4304730344	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RW 22-14B	14	070S	230E	4304730345	5670	Federal	OW	P	
RW 42-13B	13	070S	230E	4304730346	5670	Federal	OW	P	
RW 23-19C	19	070S	240E	4304730348	5670	Federal	GW	P	
RW 22-18C	18	070S	240E	4304730387	5670	Federal	OW	P	
RW 22-17C	17	070S	240E	4304730388	5670	Federal	GW	P	
RW 44-26B	26	070S	230E	4304730520	5670	Federal	GW	P	
RW 42-27B	27	070S	230E	4304731051	5670	Federal	OW	TA	
RW 44-27B	27	070S	230E	4304731053	5670	Federal	OW	TA	
RW 44-23B	23	070S	230E	4304731054	5670	Federal	GW	P	
RW 11-35B	35	070S	230E	4304731079	5670	Federal	OW	P	
RW 22-35B	35	070S	230E	4304731082	5670	Federal	OW	P	
RW 33-23B	23	070S	230E	4304731476	5670	Federal	GW	TA	
RW 11-24B	24	070S	230E	4304731477	5670	Federal	OW	P	
RW 42-21B	21	070S	230E	4304731478	5670	Federal	OW	P	
RW 13-24B	24	070S	230E	4304731517	5670	Federal	OW	P	
RW 42-23B	23	070S	230E	4304731576	5670	Federal	GW	TA	
RW 12-35B	35	070S	230E	4304731578	5670	Federal	OW	S	
RW 24-15B	15	070S	230E	4304731579	5670	Federal	OW	P	
RW 24-18C	18	070S	240E	4304731582	5670	Federal	GW	P	
RW 43-15B	15	070S	230E	4304731682	17643	Federal	GW	DRL	C
RW 34-17B	17	070S	230E	4304731819	5670	Federal	OW	P	
RW 41-4F	04	080S	240E	4304732538	5670	Federal	GW	TA	
RW 23-23C	23	070S	240E	4304732629	5670	Federal	GW	P	
RW 14-17B	17	070S	230E	4304732738	5670	Federal	OW	P	
RW 32-17B	17	070S	230E	4304732981	5670	Federal	OW	P	
RW 32-18B	18	070S	230E	4304733018	5670	Federal	OW	P	
RW 42-20B	20	070S	230E	4304733490	5670	Federal	OW	P	
RW 22-20B	20	070S	230E	4304733491	5670	Federal	OW	P	
RW 24-19B	19	070S	230E	4304733492	5670	Federal	OW	P	
RW 22-21B	21	070S	230E	4304733522	5670	Federal	OW	S	
RW 24-20B	20	070S	230E	4304733523	5670	Federal	OW	P	
RW 44-19B	19	070S	230E	4304733524	5670	Federal	OW	P	
RW 44-20B	20	070S	230E	4304733525	5670	Federal	OW	P	
RW 24-18B	18	070S	230E	4304733554	5670	Federal	OW	P	
RW 42-19B	19	070S	230E	4304733556	5670	Federal	OW	P	
RW 22-19B	19	070S	230E	4304733559	5670	Federal	OW	P	
RW 23-24A	24	070S	220E	4304733567	5670	Federal	OW	P	
RW 42-24A	24	070S	220E	4304733569	5670	Federal	OW	P	
RW 21-25A	25	070S	220E	4304733576	5670	Federal	OW	P	
RW 41-25A	25	070S	220E	4304733579	5670	Federal	OW	P	
RW 21-24A	24	070S	220E	4304733592	5670	Federal	OW	P	
RW 44-18B	18	070S	230E	4304733594	5670	Federal	OW	P	
RW 41-24A	24	070S	220E	4304733769	5670	Federal	OW	P	
RW 42-30B	30	070S	230E	4304733771	5670	Federal	OW	S	

Bonds: BLM = ESB000024

BIA = 956010693

State = 965010695

Questar Exploration Production Company (N5085) to QEP Energy Company (N3700)
RED WASH
effective June 14, 2010

well_name	sec	tpw	rng	api	entity	mineral lease	type	stat	C
RWU 44-30B	30	070S	230E	4304733772	5670	Federal	OW	P	
RW 22-25A	25	070S	220E	4304733786	5670	Federal	OW	P	
RW 34-27C	27	070S	240E	4304735045	5670	Federal	GW	P	
RW 34-22C	22	070S	240E	4304735098	5670	Federal	GW	P	
RW 34-23AG	23	070S	220E	4304735668	5670	Federal	OW	P	
RWU 32-27AG	27	070S	220E	4304735670	5670	Federal	OW	P	
RW 14-34AMU	34	070S	220E	4304735671	14277	Federal	GW	P	
RW 44-08FG	08	080S	240E	4304736349	15261	Federal	GW	P	
RW 34-34 AD	34	070S	220E	4304736351	16177	Federal	GW	P	
RW 33-31 BD	31	070S	230E	4304736357		Federal	GW	APD	C
RW 13-31 BD	31	070S	230E	4304736358		Federal	GW	APD	C
RW 21-26AD	26	070S	220E	4304736768	5670	Federal	OW	OPS	C
RW 43-26AG	26	070S	220E	4304736769	16575	Federal	OW	OPS	C
RW 43-23AG	23	070S	220E	4304736770	5670	Federal	OW	OPS	C
RW 41-26AG	26	070S	220E	4304736818	5670	Federal	OW	OPS	C
RW 04-25B	25	070S	230E	4304736982	17224	Federal	OW	P	
RW 34-27ADR	27	070S	220E	4304739445	16330	Federal	GW	P	
RW 32-29CD	29	070S	240E	4304739854		Federal	GW	APD	C
RW 24-10FD	10	080S	240E	4304739963		Federal	GW	APD	C
RW 34-20CD	20	070S	240E	4304739964		Federal	GW	APD	C
RW 32-20CD	20	070S	240E	4304739965		Federal	GW	APD	
RW 24-21CD	21	070S	240E	4304739966		Federal	GW	APD	C
RW 41-28CD	28	070S	240E	4304739967		Federal	GW	APD	C
RW 41-33CD	33	070S	240E	4304739968		Federal	GW	APD	C
RW 14-35 AMU	35	070S	220E	4304740051		Federal	GW	APD	C
RW 44-35 AMU	35	070S	220E	4304740052		Federal	GW	APD	
RW 12-17FG	17	080S	240E	4304740602		Federal	GW	APD	C

Bonds: BLM = ESB000024
BIA = 956010693
State = 965010695



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov/ut/st/en.html>



IN REPLY REFER TO:
3100
(UT-922)

JUL 28 2010

Memorandum

To: Vernal Field Office, Price Field Office, Moab Field Office
From: Chief, Branch of Minerals *Roger L. Bankert*
Subject: Name Change Recognized

Attached is a copy of the Certificate of Name Change issued by the Texas Secretary of State and a decision letter recognizing the name change from the Eastern States Office. We have updated our records to reflect the name change in the attached list of leases.

The name change from **Questar Exploration and Production Company** into **QEP Energy Company** is effective June 8, 2010.

cc: MMS
UDOGM

RECEIVED
AUG 16 2010
DIV. OF OIL, GAS & MINERAL